



ValvSource
Equipment Limited



Products Price List

Gauges | Valves | Accessories



ISO
9001

CRN

3 YEAR VIEW TERMS
& CONDITIONS
WARRANTY



About ValvSource

Located in both Ontario and Alberta, ValvSource is a privately owned company which specializes in the distribution of valves and fittings. Founded in 2005, ValvSource has almost 15 years of valve and actuator distribution experience to the Canadian market. With over 150,000 feet of warehousing, ValvSource has a diversified inventory of over 25,000 products that service and supply the petrochemical, oil and gas, commercial, HVAC, and municipal markets.

We provide the industries absolute best customer service and are successful largely in part to our customer-centric team of sales personnel and knowledgeable staff. As an industry leader, we continually strive to strategically align ourselves with major manufacturers of industrial valves with a focus on having each valve product line compliment the other. By continually broadening our product offerings, ValvSource has positioned itself as a valuable resource.

Contact ValvSource's sales and support team today to discover your perfect valve solution.



Table of Contents

2	Pressure Gauges
16	Pressure Gauge Accessories
19	Temperature Gauges
31	Valves
42	Terms and Conditions

Pressure Gauges

WGI Classic Series Pressure Gauges (Dry)

WGI Classic series pressure gauges are for general service applications where cost savings are needed. WGI Classic series gauges are used in many different applications such as pumping systems, hydraulic or pneumatic systems, compressor packages and as a contractors gauge.



Classic 150 | 1½" Dial | 1/8" NPT | Bottom Mount | Brass

Part Number	Description	Price
WJ0405	0-30" hg Vac / - kpa.	\$14.23
WJ0412	-30" hg Vac x 30 psi / kpa	\$14.23
WJ0418	-30" hg Vac x 150 psi / kpa	\$14.23
WJ0424	-30" hg Vac x 300 psi / kpa	\$14.23
WJ0440	0-15 psi / kpa	\$14.23
WJ0442	0-30 psi / kpa	\$14.23
WJ0446	0-60 psi / kpa	\$14.23
WJ0448	0-100 psi / kpa	\$14.23
WJ0452	0-160 psi / kpa	\$14.23
WJ0454	0-200 psi / kpa	\$14.23
WJ0458	0-300 psi / kpa	\$14.23
WJ0460	0-400 psi / kpa	\$14.23
WJ0464	0-600 psi / kpa	\$14.23
WJ0472	0-1000 psi / kpa	\$14.23

Classic 150 | 1½" Dial | 1/8" NPT | Back Mount | Brass

Part Number	Description	Price
WJ0605	0-30" hg Vac / - kpa.	\$14.23
WJ0612	-30" hg Vac x 30 psi / kpa	\$14.23
WJ0618	-30" hg Vac x 150 psi / kpa	\$14.23
WJ0624	-30" hg Vac x 300 psi / kpa	\$14.23
WJ0640	0-15 psi / kpa	\$14.23
WJ0642	0-30 psi / kpa	\$14.23
WJ0646	0-60 psi / kpa	\$14.23
WJ0648	0-100 psi / kpa	\$14.23
WJ0652	0-160 psi / kpa	\$14.23
WJ0654	0-200 psi / kpa	\$14.23
WJ0658	0-300 psi / kpa	\$14.23
WJ0660	0-400 psi / kpa	\$14.23
WJ0664	0-600 psi / kpa	\$14.23
WJ0672	0-1000 psi / kpa	\$14.23

Classic 200 | 2" Dial | ¼" NPT | Bottom Mount | Brass

Part Number	Description	Price
WJ1405	0-30" hg Vac / - kpa.	\$14.23
WJ1412	-30" hg Vac x 30 psi / kpa	\$14.23
WJ1418	-30" hg Vac x 150 psi / kpa	\$14.23
WJ1424	-30" hg Vac x 300 psi / kpa	\$14.23
WJ1440	0-15 psi / kpa	\$14.23
WJ1442	0-30 psi / kpa	\$14.23
WJ1446	0-60 psi / kpa	\$14.23
WJ1448	0-100 psi / kpa	\$14.23
WJ1452	0-160 psi / kpa	\$14.23
WJ1454	0-200 psi / kpa	\$14.23
WJ1458	0-300 psi / kpa	\$14.23
WJ1460	0-400 psi / kpa	\$14.23
WJ1464	0-600 psi / kpa	\$14.23
WJ1472	0-1000 psi / kpa	\$14.23

Classic 200 | 2" Dial | 1/8" NPT | Back Mount | Brass

Part Number	Description	Price
WJ1842	0-30 psi / kpa	\$14.23
WJ1846	0-60 psi / kpa	\$14.23
WJ1848	0-100 psi / kpa	\$14.23
WJ1852	0-160 psi / kpa	\$14.23
WJ1854	0-200 psi / kpa	\$14.23

Continuation of WGI Classic Series Pressure Gauges (Dry)

Classic 200 | 2" Dial | ¼" NPT | Back Mount | Brass

Part Number	Description	Price
WJ2005	0-30" hg vac / - kpa.	\$14.23
WJ2012	-30" hg vac x 30 psi / kpa	\$14.23
WJ2018	-30" hg vac x 150 psi / kpa	\$14.23
WJ2024	-30" hg vac x 300 psi / kpa	\$14.23
WJ2040	0-15 psi / kpa	\$14.23
WJ2042	0-30 psi / kpa	\$14.23
WJ2046	0-60 psi / kpa	\$14.23
WJ2048	0-100 psi / kpa	\$14.23
WJ2052	0-160 psi / kpa	\$14.23
WJ2054	0-200 psi / kpa	\$14.23
WJ2058	0-300 psi / kpa	\$14.23
WJ2060	0-400 psi / kpa	\$14.23
WJ2064	0-600 psi / kpa	\$14.23
WJ2072	0-1000 psi / kpa	\$14.23

Classic 200 | 2" Dial | ¼" NPT | Panel Mount | Brass

Part Number	Description	Price
WJ2605	-30" hg vac / - kpa	\$18.54
WJ2612	-30" hg vac x 30 psi / kpa	\$18.54
WJ2618	-30" hg vac x 150 psi / kpa	\$18.54
WJ2624	-30" hg vac x 300 psi / kpa	\$18.54
WJ2640	0-15 psi / kpa	\$18.54
WJ2642	0-30 psi / kpa	\$18.54
WJ2646	0-60 psi / kpa	\$18.54
WJ2648	0-100 psi / kpa	\$18.54
WJ2652	0-160 psi / kpa	\$18.54
WJ2654	0-200 psi / kpa	\$18.54
WJ2658	0-300 psi / kpa	\$18.54
WJ2660	0-400 psi / kpa	\$18.54
WJ2664	0-600 psi / kpa	\$18.54
WJ2672	0-1000 psi / kpa	\$18.54

Classic 250 | 2½" Dial | ¼" NPT | Bottom Mount | Brass

Part Number	Description	Price
WJ4605	0-30" hg vac / - kpa.	\$14.23
WJ4612	-30" hg vac x 30 psi / kpa	\$14.23
WJ4618	-30" hg vac x 150 psi / kpa	\$14.23
WJ4624	-30" hg vac x 300 psi / kpa	\$14.23
WJ4640	0-15 psi / kpa	\$14.23
WJ4642	0-30 psi / kpa	\$14.23
WJ4646	0-60 psi / kpa	\$14.23
WJ4648	0-100 psi / kpa	\$14.23
WJ4652	0-160 psi / kpa	\$14.23
WJ4654	0-200 psi / kpa	\$14.23
WJ4658	0-300 psi / kpa	\$14.23
WJ4660	0-400 psi / kpa	\$14.23
WJ4664	0-600 psi / kpa	\$14.23
WJ4672	0-1000 psi / kpa	\$14.23

Classic 250 | 2½" Dial | ¼" NPT | Back Mount | Brass

Part Number	Description	Price
WJ5440	0-15 psi / kpa	\$14.23
WJ5446	0-60 psi / kpa	\$14.23
WJ5454	0-200 psi / kpa	\$14.23

Classic 250 | 2½" Dial | ¼" NPT | Panel Mount | Brass

Part Number	Description	Price
WJ6205	0-30" hg vac / - kpa.	\$22.60
WJ6212	-30" hg vac x 30 psi / kpa	\$22.60
WJ6218	-30" hg vac x 150 psi / kpa	\$22.60
WJ6224	-30" hg vac x 300 psi / kpa	\$22.60
WJ6240	0-15 psi / kpa	\$22.60
WJ6242	0-30 psi / kpa	\$22.60
WJ6246	0-60 psi / kpa	\$22.60
WJ6248	0-100 psi / kpa	\$22.60
WJ6252	0-160 psi / kpa	\$22.60
WJ6254	0-200 psi / kpa	\$22.60
WJ6258	0-300 psi / kpa	\$22.60
WJ6260	0-400 psi / kpa	\$22.60
WJ6264	0-600 psi / kpa	\$22.60
WJ6272	0-1000 psi / kpa	\$22.60

Pressure Gauges

Continuation of WGI Classic Series Pressure Gauges (Dry)

Classic 350 | 3½" Dial | ¼" NPT | Bottom Mount | Brass

Part Number	Description	Price
WJ8005	-30" hg vac / - kpa	\$18.69
WJ8012	-30" hg vac x 30 psi / kpa	\$18.69
WJ8018	-30" hg vac x 150 psi / kpa	\$18.69
WJ8020	-30" hg vac x 200 psi / kpa	\$18.69
WJ8024	-30" hg vac x 300 psi / kpa	\$18.69
WJ8040	0-15 psi / kpa	\$18.69
WJ8042	0-30 psi / kpa	\$18.69
WJ8046	0-60 psi / kpa	\$18.69
WJ8048	0-100 psi / kpa	\$18.69
WJ8052	0-160 psi / kpa	\$18.69
WJ8054	0-200 psi / kpa	\$18.69
WJ8058	0-300 psi / kpa	\$18.69
WJ8060	0-400 psi / kpa	\$18.69
WJ8064	0-600 psi / kpa	\$18.69
WJ8072	0-1000 psi / kpa	\$18.69

Classic 350 | 3½" Dial | ¼" NPT | Panel Mount | Brass

Part Number	Description	Price
WJ8805	0-30" hg vac / - kpa	\$26.74
WJ8812	-30" hg vac x 30 psi / kpa	\$26.74
WJ8818	-30" hg vac x 150 psi / kpa	\$26.74
WJ8824	-30" hg vac x 300 psi / kpa	\$26.74
WJ8840	0-15 psi / kpa	\$26.74
WJ8842	0-30 psi / kpa	\$26.74
WJ8846	0-60 psi / kpa	\$26.74
WJ8848	0-100 psi / kpa	\$26.74
WJ8852	0-160 psi / kpa	\$26.74
WJ8854	0-200 psi / kpa	\$26.74
WJ8858	0-300 psi / kpa	\$26.74
WJ8860	0-400 psi / kpa	\$26.74
WJ8864	0-600 psi / kpa	\$26.74
WJ8872	0-1000 psi / kpa	\$26.74

Classic 400 | 4" Dial | ¼" NPT | Bottom Mount | Brass

Part Number	Description	Price
WJ9042	0-30 psi / kpa.	\$21.56
WJ9046	0-60 psi / kpa.	\$21.56
WJ9048	0-100 psi / kpa.	\$21.56
WJ9052	0-160 psi / kpa.	\$21.56
WJ9054	0-200 psi / kpa.	\$21.56
WJ9058	0-300 psi / kpa.	\$21.56

WGI Elite Brass Series Pressure Gauges (Liquid Filled)

WGI Elite series brass pressure gauges have brass internals and a 304ss case. These gauges are liquid filled for significant cushioning and pulsation dampening which reduces pointer flutter and internal damage. Industries suited for these gauges include oil and gas equipment, refineries, hydraulic equipment, agricultural equipment, pressure washers, pumps, compressors and process systems.



Elite 250 | 2½" Dial | ¼" NPT | Bottom Mount | Brass

Part Number	Description	Price
WJ7605P	-30" hg vac / - kpa	\$24.64
WJ7610P	-30" hg vac x 15 psi / kpa	\$24.64
WJ7612P	-30" hg vac x 30 psi / kpa	\$24.64
WJ7614P	-30" hg vac x 60 psi / kpa	\$24.64
WJ7616P	-30" hg vac x 100 psi / kpa	\$24.64
WJ7624P	-30" hg vac x 300 psi / kpa	\$24.64
WJ7640P	0-15 psi / kpa	\$24.64
WJ7642P	0-30 psi / kpa	\$24.64
WJ7646P	0-60 psi / kpa	\$24.64
WJ7648P	0-100 psi / kpa	\$24.64
WJ7652P	0-160 psi / kpa	\$24.64
WJ7654P	0-200 psi / kpa	\$24.64
WJ7658P	0-300 psi / kpa	\$24.64
WJ7660P	0-400 psi / kpa	\$24.64
WJ7662P	0-500 psi / kpa	\$24.64
WJ7664P	0-600 psi / kpa	\$24.64
WJ7668P	0-800 psi / kpa	\$24.64
WJ7672P	0-1000 psi / kpa	\$24.64
WJ7674P	0-1500 psi / kpa	\$24.64
WJ7676P	0-2000 psi / kpa	\$24.64
WJ7678P	0-3000 psi / kpa	\$24.64
WJ7682P	0-5000 psi / kpa	\$24.64
WJ7684P	0-6000 psi / kpa	\$24.64
WJ7686P	0-7500 psi / kpa	\$24.64
WJ7690P	0-10,000 psi / kpa	\$24.64

Elite 250 | 2½" Dial | ¼" NPT | Panel Mount | Brass

Part Number	Description	Price
WJ7205P	-30" hg vac / - kpa.	\$35.94
WJ7212P	-30" hg vac x 30 psi / k	\$35.94
WJ7214P	-30" hg vac x 60 psi / k	\$35.94
WJ7216P	-30" hg vac x 100 psi / kpa	\$35.94
WJ7224P	-30" hg vac x 300 psi / kpa	\$35.94
WJ7240P	0-15 psi / kpa.	\$35.94
WJ7242P	0-30 psi / kpa.	\$35.94
WJ7246P	0-60 psi / kpa.	\$35.94
WJ7248P	0-100 psi / kpa.	\$35.94
WJ7252P	0-160 psi / kpa.	\$35.94
WJ7254P	0-200 psi / kpa.	\$35.94
WJ7258P	0-300 psi / kpa.	\$35.94
WJ7260P	0-400 psi / kpa.	\$35.94
WJ7264P	0-600 psi / kpa.	\$35.94
WJ7272P	0-1000 psi / kpa.	\$35.94
WJ7274P	0-1500 psi / kpa.	\$35.94
WJ7276P	0-2000 psi / kpa.	\$35.94
WJ7278P	0-3000 psi / kpa.	\$35.94
WJ7282P	0-5000 psi / kpa.	\$35.94
WJ7284P	0-6000 psi / kpa.	\$35.94
WJ7286P	0-7500 psi / kpa.	\$35.94
WJ7290P	0-10,000 psi / kpa.	\$35.94

Pressure Gauges

Continuation of WGI Elite Brass Series Pressure Gauges (Liquid Filled)

Elite 400 | 4" Dial | 1/4" NPT | Bottom Mount | Brass

Part Number	Description	Price
WH10105P	0-30" hg vac / -kpa	\$68.75
WH10110P	0-30" hg vac x 15 psi / kpa	\$68.75
WH10112P	0-30" hg vac x 30 psi / kpa	\$68.75
WH10114P	0-30" hg vac x 60 psi / kpa	\$68.75
WH10116P	0-30" hg vac x 100 psi / kpa	\$68.75
WH10118P	0-30" hg vac x 150 psi / kpa	\$68.75
WH10124P	0-30" hg vac x 300 psi / kpa	\$68.75
WH10140P	0-15 psi / kpa	\$68.75
WH10142P	0-30 psi / kpa	\$68.75
WH10146P	0-60 psi / kpa	\$68.75
WH10148P	0-100 psi / kpa	\$68.75
WH10152P	0-160 psi / kpa	\$68.75
WH10154P	0-200 psi / kpa	\$68.75
WH10158P	0-300 psi / kpa	\$68.75
WH10160P	0-400 psi / kpa	\$68.75
WH10164P	0-600 psi / kpa	\$68.75
WH10168P	0-800 psi / kpa	\$68.75
WH10172P	0-1000 psi / kpa	\$68.75
WH10174P	0-1500 psi / kpa	\$68.75
WH10176P	0-2000 psi / kpa	\$68.75
WH10178P	0-3000 psi / kpa	\$68.75
WH10182P	0-5000 psi / kpa	\$68.75
WH10184P	0-6000 psi / kpa	\$68.75
WH10186P	0-7500 psi / kpa	\$68.75
WH10190P	0-10,000 psi / kpa	\$68.75

Elite 400 | 4" Dial | 1/4" NPT | Panel Mount | Brass

Part Number	Description	Price
WH10305P	0-30" hg vac / -kpa	\$82.50
WH10310P	0-30" hg vac x 15 psi / -kpa	\$82.50
WH10312P	0-30" hg vac x 30 psi / -kpa	\$82.50
WH10314P	0-30" hg vac x 60 psi / -kpa	\$82.50
WH10316P	0-30" hg vac x 100 psi / -kpa	\$82.50
WH10318P	0-30" hg vac x 150 psi / -kpa	\$82.50
WH10324P	0-30" hg vac x 300 psi / -kpa	\$82.50
WH10340P	0-15 psi / -kpa	\$82.50
WH10342P	0-30 psi / -kpa	\$82.50
WH10346P	0-60 psi / -kpa	\$82.50
WH10348P	0-100 psi / -kpa	\$82.50
WH10352P	0-160 psi / -kpa	\$82.50
WH10354P	0-200 psi / -kpa	\$82.50
WH10358P	0-300 psi / -kpa	\$82.50
WH10360P	0-400 psi / -kpa	\$82.50
WH10364P	0-600 psi / -kpa	\$82.50
WH10368P	0-800 psi / -kpa	\$82.50
WH10372P	0-1000 psi / -kpa	\$82.50
WH10374P	0-1500 psi / -kpa	\$82.50
WH10376P	0-2000 psi / -kpa	\$82.50
WH10378P	0-3000 psi / -kpa	\$82.50
WH10382P	0-5000 psi / -kpa	\$82.50
WH10384P	0-6000 psi / -kpa	\$82.50
WH10386P	0-7500 psi / -kpa	\$82.50
WH10390P	0-10,000 psi / -kpa	\$82.50

WGI Elite Stainless Steel Series Pressure Gauges (Liquid Filled)

WGI Elite Series stainless steel pressure gauges have a 304ss case and 316ss internals for use in harsh and corrosive environments. These gauges are liquid filled for significant cushioning and pulsation dampening which reduces pointer flutter and internal damage. Industries suited for these gauges include oil and gas equipment, refineries, hydraulic equipment, agricultural equipment, pressure washers, pumps, compressors and process systems.



Elite 150 | 1½" Dial | 1/8" NPT | Back Mount | 316 SS

Part Number	Description	Price
WJ1042P	0-30 psi / kpa	\$58.22
WJ1046P	0-60 psi / kpa	\$58.22
WJ1048P	0-100 psi / kpa	\$58.22
WJ1052P	0-160 psi / kpa	\$58.22
WJ1054P	0-200 psi / kpa	\$58.22
WJ1058P	0-300 psi / kpa	\$58.22

Elite 150 | 1½" Dial | 1/8" NPT | Bottom Mount | 316 SS

Part Number	Description	Price
WJ1148P	0-100 psi / kpa	\$58.22
WJ1158P	0-300 psi / kpa	\$58.22

Elite 200 | 2" Dial | ¼" NPT | Back Mount | 316 SS

Part Number	Description	Price
WJ1542P	0-30 psi / kpa	\$56.78
WJ1546P	0-60 psi / kpa	\$56.78
WJ1548P	0-100 psi / kpa	\$56.78
WJ1552P	0-160 psi / kpa	\$56.78

Elite 250 | 2½" Dial | ¼" NPT | Bottom Mount | 316 SS

Part Number	Description	Price
WJ7805P	-30" hg vac / - kpa.	\$60.38
WJ7812P	-30" hg vac x 30 psi / kpa	\$60.38
WJ7814P	-30" hg vac x 60 psi / kpa	\$60.38
WJ7818P	-30" hg vac x 150 psi / kpa	\$60.38
WJ7824P	-30" hg vac x 300 psi / kpa	\$60.38
WJ7840P	0-15 psi / kpa	\$60.38
WJ7842P	0-30 psi / kpa	\$60.38
WJ7846P	0-60 psi / kpa	\$60.38
WJ7848P	0-100 psi / kpa	\$60.38
WJ7852P	0-160 psi / kpa	\$60.38
WJ7854P	0-200 psi / kpa	\$60.38
WJ7858P	0-300 psi / kpa	\$60.38
WJ7860P	0-400 psi / kpa	\$60.38
WJ7862P	0-500 psi / kpa	\$60.38
WJ7864P	0-600 psi / kpa	\$60.38
WJ7868P	0-800 psi / kpa	\$60.38
WJ7872P	0-1000 psi / kpa	\$60.38
WJ7874P	0-1500 psi / kpa	\$60.38
WJ7876P	0-2000 psi / kpa	\$60.38
WJ7878P	0-3000 psi / kpa	\$60.38
WJ7882P	0-5000 psi / kpa	\$60.38
WJ7884P	0-6000 psi / kpa	\$60.38
WJ7886P	0-7500 psi / kpa	\$60.38
WJ7890P	0-10,000 psi / kpa	\$60.38
WJ7892P	0-15,000 psi / kpa	\$60.38

Pressure Gauges

Continuation of WGI Elite Stainless Steel Series Pressure Gauges (Liquid Filled)

Elite 250 | 2½" Dial | ¼" NPT | Panel Mount | 316 SS

Part Number	Description	Price
WJ7405P	0-30" hg vac / -kpa	\$69.00
WJ7412P	-30" hg vac x 30 psi /	\$69.00
WJ7414P	-30" hg vac x 60 psi /	\$69.00
WJ7418P	-30" hg vac x 150 psi	\$69.00
WJ7440P	0-15 psi / kpa	\$69.00
WJ7442P	0-30 psi / kpa	\$69.00
WJ7446P	0-60 psi / kpa	\$69.00
WJ7448P	0-100 psi / kpa	\$69.00
WJ7452P	0-160 psi / kpa	\$69.00
WJ7454P	0-200 psi / kpa	\$69.00
WJ7458P	0-300 psi / kpa	\$69.00
WJ7460P	0-400 psi / kpa	\$69.00
WJ7464P	0-600 psi / kpa	\$69.00
WJ7472P	0-1000 psi / kpa	\$69.00
WJ7474P	0-1500 psi / kpa	\$69.00
WJ7476P	0-2000 psi / kpa	\$69.00
WJ7478P	0-3000 psi / kpa	\$69.00
WJ7482P	0-5000 psi / kpa	\$69.00
WJ7484P	0-6000 psi / kpa	\$69.00
WJ7486P	0-7500 psi / kpa	\$69.00
WJ7490P	0-10,000 psi / kpa	\$69.00
WJ7492P	0-15,000 psi / kpa	\$69.00

Elite 400 | 4" Dial | ¼" NPT | Bottom Mount | 316 SS

Part Number	Description	Price
WH10705P	0-30" hg vac / -kpa	\$105.30
WH10712P	0-30" hg vac x 30 psi / kpa	\$105.30
WH10714P	0-30" hg vac x 60 psi / kpa	\$105.30
WH10716P	0-30" hg vac x 100 psi / kpa	\$105.30
WH10718P	0-30" hg vac x 150 psi / kpa	\$105.30
WH10724P	0-30" hg vac x 300 psi / kpa	\$105.30
WH10740P	0-15 psi / kpa	\$105.30
WH10742P	0-30 psi / kpa	\$105.30
WH10746P	0-60 psi / kpa	\$105.30
WH10748P	0-100 psi / kpa	\$105.30
WH10752P	0-160 psi / kpa	\$105.30
WH10754P	0-200 psi / kpa	\$105.30
WH10758P	0-300 psi / kpa	\$105.30
WH10760P	0-400 psi / kpa	\$105.30
WH10764P	0-600 psi / kpa	\$105.30
WH10772P	0-1000 psi / kpa	\$105.30
WH10774P	0-1500 psi / kpa	\$105.30
WH10776P	0-2000 psi / kpa	\$105.30
WH10778P	0-3000 psi / kpa	\$105.30
WH10782P	0-5000 psi / kpa	\$105.30
WH10784P	0-6000 psi / kpa	\$105.30
WH10786P	0-7500 psi / kpa	\$105.30
WH10790P	0-10,000 psi / kpa	\$105.30
WH10792P	0-15,000 psi / kpa	\$105.30

Continuation of WGI Elite Stainless Steel Series Pressure Gauges (Liquid Filled)

Elite 400 | 4" Dial | ¼" NPT | Panel Mount | 316 SS

Part Number	Description	Price
WH10805P	0-30" hg vac / -kpa	\$172.80
WH10812P	-30" hg vac x 30 psi	\$172.80
WH10814P	-30" hg vac x 60 psi	\$172.80
WH10840P	0-15 psi / kpa	\$172.80
WH10842P	0-30 psi / kpa	\$172.80
WH10846P	0-60 psi / kpa	\$172.80
WH10848P	0-100 psi / kpa	\$172.80
WH10852P	0-160 psi / kpa	\$172.80
WH10854P	0-200 psi / kpa	\$172.80
WH10858P	0-300 psi / kpa	\$172.80
WH10860P	0-400 psi / kpa	\$172.80
WH10864P	0-600 psi / kpa	\$172.80
WH10872P	0-1000 psi / kpa	\$172.80
WH10874P	0-1500 psi / kpa	\$172.80
WH10876P	0-2000 psi / kpa	\$172.80
WH10878P	0-3000 psi / kpa	\$172.80
WH10882P	0-5000 psi / kpa	\$172.80
WH10884P	0-6000 psi / kpa	\$172.80
WH10890P	0-10,000 psi / kpa	\$172.80
WH10892P	0-15,000 psi / kpa	\$172.80
WH10894P	0-20,000 psi / kpa	\$172.80

Elite 400 | 4" Dial | ½" NPT | Bottom Mount | 316 SS

Part Number	Description	Price
WH10905P	0-30" hg vac / -kpa	\$105.30
WH10910P	0-30" hg vac x 15 psi / kpa	\$105.30
WH10912P	0-30" hg vac x 30 psi / kpa	\$105.30
WH10914P	0-30" hg vac x 60 psi / kpa	\$105.30
WH10916P	0-30" hg vac x 100 psi / kpa	\$105.30
WH10924P	0-30" hg vac x 300 psi / kpa	\$105.30
WH10940P	0-15 psi / kpa	\$105.30
WH10942P	0-30 psi / kpa	\$105.30
WH10946P	0-60 psi / kpa	\$105.30
WH10948P	0-100 psi / kpa	\$105.30
WH10952P	0-160 psi / kpa	\$105.30
WH10954P	0-200 psi / kpa	\$105.30
WH10958P	0-300 psi / kpa	\$105.30
WH10960P	0-400 psi / kpa	\$105.30
WH10962P	0-500 psi / kpa	\$105.30
WH10964P	0-600 psi / kpa	\$105.30
WH10968P	0-800 psi / kpa	\$105.30
WH10972P	0-1000 psi / kpa	\$105.30
WH10974P	0-1500 psi / kpa	\$105.30
WH10976P	0-2000 psi / kpa	\$105.30
WH10978P	0-3000 psi / kpa	\$105.30
WH10982P	0-5000 psi / kpa	\$105.30
WH10984P	0-6000 psi / kpa	\$105.30
WH10990P	0-10,000 psi / kpa	\$105.30
WH10992P	0-15,000 psi / kpa.	\$105.30
WH10994P	0-20,000 psi / kpa	\$105.30

Pressure Gauges

Continuation of WGI Elite Stainless Steel Series Pressure Gauges (Liquid Filled)

Elite 600 | 6" Dial | ½" NPT | Bottom Mount | 316 SS

Part Number	Description	Price
WH20912P	0-30" hg vac x 30 psi / kpa	\$359.38
WH20940P	0-15 psi / kpa	\$359.38
WH20942P	0-30 psi / kpa	\$359.38
WH20946P	0-60 psi / kpa	\$359.38
WH20948P	0-100 psi / kpa	\$359.38
WH20952P	0-160 psi / kpa	\$359.38
WH20954P	0-200 psi / kpa	\$359.38
WH20958P	0-300 psi / kpa	\$359.38
WH20960P	0-400 psi / kpa	\$359.38
WH20964P	0-600 psi / kpa	\$359.38
WH20972P	0-1000 psi / kpa	\$359.38
WH20974P	0-1500 psi / kpa	\$359.38
WH20976P	0-2000 psi / kpa	\$359.38
WH20978P	0-3000 psi / kpa	\$359.38
WH20982P	0-5000 psi / kpa	\$359.38
WH20990P	0-10,000 psi / kpa	\$359.38

WGI Elite 450 Process Pressure Gauges (NACE)

WGI Elite 450 process gauge is engineered for the oil and gas and industrial process industries. The WGI Elite 450 process gauge was designed with the operator's safety in mind. In the event of overpressuring resulting in a leak, a solid wall separates the rupture forcing the process media through blowing out the back of the gauge. WGI Elite 450 process gauge includes a Polypropylene safe case and 316ss internals.



Elite 450 | 4½" Dial | ¼" NPT | Bottom Mount | 316 SS

Part Number	Description	Price
WP5105P	30" hg vac / kpa	\$158.13
WP5110P	30" hg x 15 psi / kpa	\$158.13
WP5112P	30" hg x 30 psi / kpa	\$158.13
WP5114P	30" hg x 60 psi / kpa	\$158.13
WP5140P	0-15 psi / kpa	\$158.13
WP5142P	0-30 psi / kpa	\$158.13
WP5146P	0-60 psi / kpa	\$158.13
WP5148P	0-100 psi / kpa	\$158.13
WP5152P	0-160 psi / kpa	\$158.13
WP5154P	0-200 psi / kpa	\$158.13
WP5158P	0-300 psi / kpa	\$158.13
WP5160P	0-400 psi / kpa	\$158.13
WP5164P	0-600 psi / kpa	\$158.13
WP5172P	0-1,000 psi / kpa	\$158.13
WP5174P	0-1,500 psi / kpa	\$158.13
WP5176P	0-2,000 psi / kpa	\$158.13
WP5178P	0-3,000 psi / kpa	\$158.13
WP5182P	0-5,000 psi / kpa	\$158.13
WP5190P	0-10,000 psi / kpa	\$158.13
WP5192P	0-15,000 psi / kpa	\$158.13
WP5194P	0-20,000 psi / kpa	\$158.13

Elite 450 | 4½" Dial | ½" NPT | Bottom Mount | 316 SS

Part Number	Description	Price
WP5605P	30" hg vac / kpa	\$158.13
WP5610P	30" hg x 15 psi / kpa	\$158.13
WP5612P	30" hg x 30 psi / kpa	\$158.13
WP5614P	30" hg x 60 psi / kpa	\$158.13
WP5640P	0-15 psi / kpa	\$158.13
WP5642P	0-30 psi / kpa	\$158.13
WP5646P	0-60 psi / kpa	\$158.13
WP5648P	0-100 psi / kpa	\$158.13
WP5652P	0-160 psi / kpa	\$158.13
WP5654P	0-200 psi / kpa	\$158.13
WP5658P	0-300 psi / kpa	\$158.13
WP5660P	0-400 psi / kpa	\$158.13
WP5664P	0-600 psi / kpa	\$158.13
WP5672P	0-1,000 psi / kpa	\$158.13
WP5674P	0-1,500 psi / kpa	\$158.13
WP5676P	0-2,000 psi / kpa	\$158.13
WP5678P	0-3,000 psi / kpa	\$158.13
WP5682P	0-5,000 psi / kpa	\$158.13
WP5690P	0-10,000 psi / kpa	\$158.13
WP5692P	0-15,000 psi / kpa	\$158.13
WP5694P	0-20,000 psi / kpa	\$158.13

Pressure Gauges

WGI Elite 450 Stainless Steel Process Pressure Gauges

WGI Elite 450 process gauge has been engineered specifically for the oil and gas industrial process sector. This process gauge was designed with an operator's safety in mind. There is a metal plate inside the gauge that ensures that if a rupture occurs, the process will blow out the back of the case versus forward thus preventing any process being directed at the operator. WGI Elite 450 stainless steel process gauge includes a 304SS safety case and 316ss internals.



Elite 450 | 4½" Dial | ¼" NPT | Bottom Mount | 316 SS

Part Number	Description	Price
WP6105P	30" hg vac / kpa	\$158.13
WP6112P	30" hg x 30 psi / kpa	\$158.13
WP6114P	30" hg x 60 psi / kpa	\$158.13
WP6140P	0-15 psi / kpa	\$158.13
WP6142P	0-30 psi / kpa	\$158.13
WP6146P	0-60 psi / kpa	\$158.13
WP6148P	0-100 psi / kpa	\$158.13
WP6152P	0-160 psi / kpa	\$158.13
WP6154P	0-200 psi / kpa	\$158.13
WP6158P	0-300 psi / kpa	\$158.13
WP6160P	0-400 psi / kpa	\$158.13
WP6162P	0-500 psi / kpa	\$158.13
WP6164P	0-600 psi / kpa	\$158.13
WP6168P	0-800 psi / kpa	\$158.13
WP6172P	0-1,000 psi / kpa	\$158.13
WP6174P	0-1,500 psi / kpa	\$158.13
WP6176P	0-2,000 psi / kpa	\$158.13
WP6178P	0-3,000 psi / kpa	\$158.13
WP6182P	0-5,000 psi / kpa	\$158.13
WP6184P	0-6,000 psi / kpa	\$158.13
WP6190P	0-10,000 psi / kpa	\$158.13
WP6192P	0-15,000 psi / kpa	\$158.13
WP6194P	0-20,000 psi / kpa	\$158.13

Elite 450 | 4½" Dial | ½" NPT | Bottom Mount | 316 SS

Part Number	Description	Price
WP6605P	30" hg vac / kpa	\$158.13
WP6612P	30" hg x 30 psi / kpa	\$158.13
WP6614P	30" hg x 60 psi / kpa	\$158.13
WP6640P	0-15 psi / kpa	\$158.13
WP6642P	0-30 psi / kpa	\$158.13
WP6646P	0-60 psi / kpa	\$158.13
WP6648P	0-100 psi / kpa	\$158.13
WP6652P	0-160 psi / kpa	\$158.13
WP6654P	0-200 psi / kpa	\$158.13
WP6658P	0-300 psi / kpa	\$158.13
WP6660P	0-400 psi / kpa	\$158.13
WP6662P	0-500 psi / kpa	\$158.13
WP6664P	0-600 psi / kpa	\$158.13
WP6668P	0-800 psi / kpa	\$158.13
WP6672P	0-1,000 psi / kpa	\$158.13
WP6674P	0-1,500 psi / kpa	\$158.13
WP6676P	0-2,000 psi / kpa	\$158.13
WP6678P	0-3,000 psi / kpa	\$158.13
WP6682P	0-5,000 psi / kpa	\$158.13
WP6684P	0-6,000 psi / kpa	\$158.13
WP6690P	0-10,000 psi / kpa	\$158.13
WP6692P	0-15,000 psi / kpa	\$158.13
WP6694P	0-20,000 psi / kpa	\$158.13

WGI Diaphragm Gauges (Dry)

WGI diaphragm gauges are sensitive instruments used in low pressure applications not exceeding 10 PSI. The diaphragm capsule is an elastic metal sensing element comprised of two thin wall diaphragms that are soldered together to make the capsule. Typical applications include air flow indicators, liquid level indicators, leak testers, natural gas gauges and any other application that requires precise measurement of pressures below 10 PSI.



2½" Dial | ¼" NPT | Bottom Mount | Brass

Part Number	Description	Price
WG22675	0-10" w.c. / kpa	\$76.33
WG22685	0-3 psi / kpa	\$76.33
WG22699	0-10 psi / kpa	\$76.33
WG22702	0-5 psi / kpa	\$76.33
WG22704	0-30" w.c. / kpa	\$76.33
WG22706	0-15" w.c. / ounces / kpa	\$76.33
WG22707	0-55" w.c. / ounces / kpa	\$76.33
WG22709	0-35" w.c. / ounces / kpa	\$76.33
WG22710	0-100" w.c. / ounces / kpa	\$76.33
WG22912	0-15" w.c. vac	\$76.33
WG22913	-30 to 50" w.c.	\$76.33
WG22914	0-30" w.c. vac	\$76.33
WG22918	0-60" w.c. vac	\$76.33
WG24500	0-15" w.c. / kpa	\$76.33
WG24502	0-100" w.c. vac	\$76.33
WG24502	0-100" w.c. vac	\$76.33

4" Dial | ½" NPT | Bottom Mount | Brass

Part Number	Description	Price
WG42685	0-3 PSI / 20 kPa	\$158.13
WG42699	0-10 PSI / 69 kPa	\$158.13
WG42702	0-5 PSI / 34 kPa	\$158.13
WG42706	0-15" H2O / 8.75 OZ / 3.7 kPa	\$158.13
WG42707	0-55" H2O / 32 OZ / 13.8 kPa	\$158.13
WG42709	0-35" H2O / 20 OZ / 8.6 kPa	\$158.13
WG42710	0-100" H2O / 58 OZ / 25 kPa	\$158.13
WG42913	0-30" H2O / VAC x 50" H2O	\$158.13

2½" Dial | ¼" NPT | Bottom Mount | 316 SS

Part Number	Description	Price
WG22685SS	0-3 psi / kpa	\$198.38
WG22699SS	0-10 psi / kpa	\$198.38
WG22702SS	0-5 psi / kpa	\$198.38
WG22706SS	0-15" w.c. / ounces / kpa	\$198.38
WG22707SS	0-55" w.c. / ounces / kpa	\$198.38
WG22709SS	0-35" w.c. / ounces / kpa	\$198.38
WG22710SS	0-100" w.c. / ounces / kpa	\$198.38

4" Dial | ½" NPT | Bottom Mount | 316 SS

Part Number	Description	Price
WG42685SS	0-3 PSI / 20 kPa	\$445.63
WG42699SS	0-10 PSI / 69 kPa	\$445.63
WG42702SS	0-5 PSI / 34 kPa	\$445.63
WG42706SS	0-15" H2O / 8.75 OZ / 3.7 kPa	\$445.63
WG42707SS	0-55" H2O / 32 OZ / 13.8 kPa	\$445.63
WG42709SS	0-35" H2O / 20 OZ / 8.6 kPa	\$445.63
WG42710SS	0-100" H2O / 58 OZ / 25 kPa	\$445.63
WG42913SS	0-30" H2O / VAC x 50" H2O	\$445.63

Pressure Gauges



WGI Agricultural Pressure Gauges

The WGI agricultural ammonia pressure gauge is specifically designed to withstand all the punishment involved in manufacturing, distributing and applying ammonia as an agricultural fertilizer.

Dry | 2½" - 4" Dial | ¼" NPT | Bottom Mount | Carbon Steel

Part Number	Description	Price
WW0160	2½" Dial, 0-60 psi	\$30.19
WW0162	2½" Dial, 0-150 psi	\$30.19
WW0164	2½" Dial, 0-400 psi	\$30.19
WW0260	4" Dial, 0-60 psi	\$46.00
WW0262	4" Dial, 0-150 psi	\$46.00
WW0264	4" Dial, 0-400 psi	\$46.00



Mid-West Instrument Differential Pressure Gauges

A low cost differential pressure gauge for use in measuring the pressure drop across filters, strainers, separators, valves, pumps, chillers, etc. and for local flow indication and control. For additional information or individual product specifications, contact us today.



WGI Contractor Pressure Gauges (H.V.A.C.)

The WGI contractor pressure gauge was specifically designed for heating, ventilation, air conditioning and plumbing applications. The WGI contractor pressure gauge is ideal for use in any medium not corrosive to copper alloys such as air, oil, water and steam.

4½" Dial | ¼" NPT | Bottom | Copper Alloy/Brass

Part Number	Description	Price
WH9410	-30 hg x 15 psi / kpa	\$35.02
WH9412	-30 hg x 30 psi / kpa	\$35.02
WH9416	-30 hg x 100 psi / kpa	\$35.02
WH9418	-30 hg x 150 psi / kpa	\$35.02
WH9440	0-15 psi / kpa	\$35.02
WH9442	0-30 psi / kpa	\$35.02
WH9446	0-60 psi / kpa	\$35.02
WH9448	0-100 psi / kpa	\$35.02
WH9452	0-160 psi / kpa	\$35.02
WH9454	0-200 psi / kpa	\$35.02
WH9458	0-300 psi / kpa	\$35.02
WH9460	0-400 psi / kpa	\$35.02
WH9464	0-600 psi / kpa	\$35.02



WGI Sprinkler Gauge

WGI's fire protection sprinkler gauges are UL listed and FM approved and are ideally suited for fire sprinkler systems.

4" Dial | ¼" NPT | Bottom | Aluminum

Part Number	Description	Price
Sprinkler-Water-300	0-300 psi	Contact for pricing

Pressure Gauge Accessories



WGI White Teflon & Yellow ULC Gas Thread Seal Tape

WGI teflon tape is a rugged inert tape made from 100% pure, virgin PTFE. These tapes can be utilized anywhere there is a requirement for strength, thickness and resistance on threaded connections. It is highly resistant to acids, alkalies, solvents and gases and is clean and easy to use. It keeps its protective qualities indefinitely and adapts to galvanized iron, stainless steel, brass, plastic or fiberglass. It is approved under the Underwriters Laboratory of Canada and meets US Military specification MIL-T- 27730A.

Teflon Tape | White | General Purpose

Part Number	Description	Price
TT-1/2	1/2" wide x 480" long	\$1.06
TT-3/4	3/4" wide x 480" long	\$1.58
TT-1	1" wide x 480" long	\$2.39

Teflon Tape | Yellow | ULC Approved Gas Tape

Part Number	Description	Price
GTT-1/2	1/2" x 480" long roll	\$5.61
GTT-3/4	3/4" x 480" long roll	\$8.48
GTT-1	1" x 480" long roll	\$11.36

Teflon Tape | Pink | Plumbers Tape

Part Number	Description	Price
PTT-1/2	1/2" wide x 520" long 4 mm thick	\$3.22
PTT-3/4	3/4" wide x 520" long 4 mm thick	\$7.76
PTT-1	1" wide x 520" long 4 mm thick	\$8.63



WGI General Purpose Pressure Snubbers

WGI pressure snubbers are designed for use in light oil, water and gas applications to significantly lessen the damaging effects of pulsation on pressure gauges, pressure transducers, transmitters, pressure switches and many other types of pressure instrumentation.

Brass | 3000 PSI | General Purpose

Part Number	Description	Price
25B	1/4" npt	\$20.33

Stainless Steel | 20, 000 PSI | General Purpose

Part Number	Description	Price
A25S	1/4" npt	\$51.75
A50S	1/2" npt	\$99.19



Mid-West Pressure Limiting Valve (Gauge Minder)

The model 200 gauge minder features a pressure limiting valve that blocks off excess pressure to the instrument, preventing calibration failure, internal damage, and blow-out from over-ranging (a principal cause of instrument failure). The model 200 is supplied with a set of range springs designed to set the shutoff pressure point at any pressure from 50 to 5,000 PSI. The automatic shutoff valve is positive on closing and is non-chattering. Once closed, pressure need only be reduced approximately 10% of set pressure to re-open the valve.

50–5,000 PSI

Part Number	Description	Price
200A0-10	1/4" npt, aluminum, Viton	Contact for pricing
200A0-00	1/4" npt, aluminum, Buna-N	Contact for pricing
200B0	1/4" npt, brass, Buna-N	Contact for pricing
200S0-00	1/4"npt, stainless steel, Buna-N	Contact for pricing
200S0-10	1/4"npt, stainless steel, Viton	Contact for pricing
200SH-10	1/2" npt, stainless steel, Viton	Contact for pricing



WGI Diaphragm/Chemical Seals

When choosing a diaphragm seal, WGI offers unsurpassed quality, service and delivery. WGI recommends the use of a diaphragm seal for all applications involving, but not limited to corrosive media, (media containing particles), viscous media, temperature issues and the use of oxidizing agents.

Stainless Steel | General Purpose

Part Number	Description	Price
DS90-D-D	Type 70, Seal, 1/2" x 1/2", 316 SS, 30 Hg x 2,500 psi, 8 bolt	\$255.88
DSF8-B-B	Mini, diaphragm seal, welded, 316 SS, 1/4" x 1/4" fnpt, 5,000 psi	\$186.88
DSF8-D-D	Mini, diaphragm seal, welded, 316 SS, 1/2" x 1/2" fnpt, 5,000psi	\$215.63

Pressure Gauge Accessories



WGI Rubber Gauge Guards

WGI rubber gauge guards are used to protect pressure gauges from accidental physical damage. Made to fit a 2½" or 4" bottom or back mount pressure gauge.

Part Number	Description	Price
PGG-2.5	Blue	Contact for pricing
PGG-2.5B	Black	Contact for pricing
PGG-40	Black	Contact for pricing



WGI Barrel Siphons

WGI barrel siphons are a cost effective way to maximize gauge life. WGI barrel siphons are made from solid bar to produce a rigid mount and easy installation. Barrel siphons are used to reduce the temperature of the medium before reaching the instrument.

Stainless Steel

Part Number	Description	Price
BS-1/2	1/2" male x female npt	\$120.75
BS-1/4	1/4" male x female npt	\$120.75



WGI Pigtail Siphons

WGI pigtail siphons are recommended for services involving temperatures above 60°C/140°F. On steam service, the siphon will prevent steam from entering a pressure gauge, diaphragm seal or transmitter. WGI pigtail siphons are available in carbon steel and 316 stainless steel.

Carbon Steel | Schedule 80

Part Number	Description	Price
PS-1/2	1/2" npt	\$64.23
PS-1/4	1/4" npt	\$29.38

Stainless Steel

Part Number	Description	Price
PSS-1/2	1/2" npt	\$208.43
PSS-1/4	1/4" npt	\$167.84

WGI Master-Temp 200/300/500 Bimetal Thermometers

WGI bimetal thermometers are rugged and are preferred by the process, offshore, pharmaceutical, power and chemical industries. Liquid filling is available for additional dampening, extreme vibration, or to ensure consistent performance in low temperature or high humidity applications.



Master-Temp 200 | 2" Dial | 1/4" NPT | Back Mount

Part Number	Stem	Range	Price
WL11102	2½"	-40 to 160 F & C	\$43.13
WL11105	2½"	0 to 250 F & C	\$43.13
WL11108	2½"	50 to 500 F & C	\$43.13
WL11202	4"	-40 to 160 F & C	\$43.13
WL11205	4"	0 to 250 F & C	\$43.13
WL11208	4"	50 to 500 F & C	\$43.13
WL11302	6"	-40 to 160 F & C	\$43.13
WL11305	6"	0 to 250 F & C	\$43.13
WL11308	6"	50 to 500 F & C	\$43.13
WL11405	9"	0 to 250 F & C	\$43.13

Master-Temp 200 | 2" Dial | 1/2" NPT | Back Mount

Part Number	Stem	Range	Price
WL21202	4"	-40 to 160 F & C	\$43.13
WL21208	4"	50 to 500 F & C	\$43.13
WL21302	6"	-40 to 160 F & C	\$43.13
WL21305	6"	0 to 250 F & C	\$43.13

Master-Temp 300 | 3" Dial | 1/2" NPT | Back Mount

Part Number	Stem	Range	Price
WL31102	2½"	-40 to 160 F & C	\$43.13
WL31105	2½"	0 to 250 F & C	\$43.13
WL31106	2½"	50 to 300 F & C	\$43.13
WL31108	2½"	50 to 500 F & C	\$43.13
WL31110	2½"	150 to 750 F & C	\$43.13
WL31111	2½"	200 to 1000 F & C	\$43.13
WL31202	4"	-40 to 160 F & C	\$43.13
WL31205	4"	0 to 250 F & C	\$43.13
WL31206	4"	50 to 300 F & C	\$43.13
WL31208	4"	50 to 500 F & C	\$43.13
WL31210	4"	150 to 750 F & C	\$43.13
WL31211	4"	200 to 1000 F & C	\$43.13
WL31302	6"	-40 to 160 F & C	\$43.13
WL31305	6"	0 to 250 F & C	\$43.13
WL31306	6"	50 to 300 F & C	\$43.13
WL31308	6"	50 to 500 F & C	\$43.13
WL31310	6"	150 to 750 F & C	\$43.13
WL31311	6"	200 to 1000 F & C	\$43.13
WL31402	9"	-40 to 160 F & C	\$68.29
WL31405	9"	0 to 250 F & C	\$68.29

Temperature Gauges

Continuation of WGI Master-Temp 200/300/500 Bimetal Thermometers

Master-Temp 300 | 3" Dial | ½" NPT | Back Mount

Part Number	Stem	Range	Price
WL31406	9"	50 to 300 F & C	\$68.29
WL31408	9"	50 to 500 F & C	\$68.29
WL31410	9"	150 to 750 F & C	\$68.29
WL31411	9"	200 to 1000 F & C	\$68.29
WL31501	12"	-100 to 160 F & C	\$76.94
WL31502	12"	-40 to 160 F & C	\$76.94
WL31505	12"	0 to 250 F & C	\$76.94
WL31506	12"	50 to 300 F & C	\$76.94
WL31508	12"	50 to 500 F & C	\$76.94
WL31510	12"	150 to 750 F & C	\$76.94
WL31511	12"	200 to 1000 F & C	\$76.94
WL31602	15"	-40 to 160 F & C	\$85.54
WL31605	15"	0 to 250 F & C	\$85.54
WL31606	15"	50 to 300 F & C	\$85.54
WL31608	15"	50 to 500 F & C	\$85.54
WL31610	15"	150 to 750 F & C	\$85.54
WL31611	15"	200 to 1000 F & C	\$85.54
WL31702	18"	-40 to 160 F & C	\$105.66
WL31705	18"	0 to 250 F & C	\$105.66
WL31706	18"	50 to 300 F & C	\$105.66
WL31708	18"	50 to 500 F & C	\$105.66
WL31710	18"	150 to 750 F & C	\$105.66
WL31711	18"	200 to 1000 F & C	\$105.66
WL31802	24"	-40 to 160 F & C	\$117.30
WL31805	24"	0 to 250 F & C	\$117.30
WL31806	24"	50 to 300 F & C	\$117.30
WL31808	24"	50 to 500 F & C	\$117.30
WL31810	24"	150 to 750 F & C	\$117.30
WL31811	24"	200 to 1000 F & C	\$117.30

Master-Temp 300 | 3" Dial | ½" NPT | Adjustable

Part Number	Stem	Range	Price
WL33102	2½"	-40 to 160 F & C	\$166.75
WL33105	2½"	0 to 250 F & C	\$166.75
WL33106	2½"	50 to 300 F & C	\$166.75
WL33108	2½"	50 to 500 F & C	\$166.75
WL33110	2½"	150 to 750 F & C	\$166.75
WL33111	2½"	200 to 1000 F & C	\$166.75
WL33202	4"	-40 to 160 F & C	\$166.75
WL33205	4"	0 to 250 F & C	\$166.75
WL33206	4"	50 to 300 F & C	\$166.75
WL33208	4"	50 to 500 F & C	\$166.75
WL33210	4"	150 to 750 F & C	\$166.75
WL33211	4"	200 to 1000 F & C	\$166.75
WL33302	6"	-40 to 160 F & C	\$166.75
WL33305	6"	0 to 250 F & C	\$166.75
WL33306	6"	50 to 300 F & C	\$166.75
WL33308	6"	50 to 500 F & C	\$166.75
WL33310	6"	150 to 750 F & C	\$166.75
WL33311	6"	200 to 1000 F & C	\$166.75
WL33402	9"	-40 to 160 F & C	\$191.19
WL33405	9"	0 to 250 F & C	\$191.19
WL33406	9"	50 to 300 F & C	\$191.19
WL33408	9"	50 to 500 F & C	\$191.19
WL33410	9"	150 to 750 F & C	\$191.19
WL33411	9"	200 to 1000 F & C	\$191.19
WL33502	12"	-40 to 160 F & C	\$196.54
WL33505	12"	0 to 250 F & C	\$196.54
WL33506	12"	50 to 300 F & C	\$196.54
WL33508	12"	50 to 500 F & C	\$196.54
WL33510	12"	150 to 750 F & C	\$196.54
WL33511	12"	200 to 1000 F & C	\$196.54
WL33602	15"	-40 to 160 F & C	\$203.12
WL33605	15"	0 to 250 F & C	\$203.12
WL33606	15"	50 to 300 F & C	\$203.12
WL33608	15"	50 to 500 F & C	\$203.12
WL33610	15"	150 to 750 F & C	\$203.12

Continuation of WGI Master-Temp 200/300/500 Bimetal Thermometers

Master-Temp 300 | 3" Dial | ½" NPT | Adjustable

Part Number	Stem	Range	Price
WL33611	15"	200 to 1000 F & C	\$203.12
WL33702	18"	-40 to 160 F & C	\$212.18
WL33705	18"	0 to 250 F & C	\$212.18
WL33706	18"	50 to 300 F & C	\$212.18
WL33708	18"	50 to 500 F & C	\$212.18
WL33710	18"	150 to 750 F & C	\$212.18
WL33711	18"	200 to 1000 F & C	\$212.18
WL33802	24"	-40 to 160 F & C	\$228.56
WL33805	24"	0 to 250 F & C	\$228.56
WL33806	24"	50 to 300 F & C	\$228.56
WL33808	24"	50 to 500 F & C	\$228.56
WL33810	24"	150 to 750 F & C	\$228.56
WL33811	24"	200 to 1000 F & C	\$228.56

Master-Temp 500 | 5" Dial | ½" NPT | Back Mount

Part Number	Stem	Range	Price
WL51102	2½"	-40 to 160 F & C	\$89.41
WL51105	2½"	0 to 250 F & C	\$89.41
WL51106	2½"	50 to 300 F & C	\$89.41
WL51108	2½"	50 to 500 F & C	\$89.41
WL51110	2½"	150 to 750 F & C	\$89.41
WL51111	2½"	200 to 1000 F & C	\$89.41
WL51202	4"	-40 to 160 F & C	\$89.41
WL51205	4"	0 to 250 F & C	\$89.41
WL51206	4"	50 to 300 F & C	\$89.41
WL51208	4"	50 to 500 F & C	\$89.41
WL51210	4"	150 to 750 F & C	\$89.41
WL51211	4"	200 to 1000 F & C	\$89.41
WL51215	4"	30 to 750 F & C	\$89.41
WL51302	6"	-40 to 160 F & C	\$89.41
WL51305	6"	0 to 250 F & C	\$89.41
WL51306	6"	50 to 300 F & C	\$89.41
WL51308	6"	50 to 500 F & C	\$89.41

Master-Temp 500 | 5" Dial | ½" NPT | Back Mount

Part Number	Stem	Range	Price
WL51310	6"	150 to 750 F & C	\$89.41
WL51311	6"	200 to 1000 F & C	\$89.41
WL51315	6"	30 to 750 F & C	\$89.41
WL51402	9"	-40 to 160 F & C	\$103.50
WL51405	9"	0 to 250 F & C	\$103.50
WL51406	9"	50 to 300 F & C	\$103.50
WL51408	9"	50 to 500 F & C	\$103.50
WL51410	9"	150 to 750 F & C	\$103.50
WL51411	9"	200 to 1000 F & C	\$103.50
WL51502	12"	-40 to 160 F & C	\$125.49
WL51505	12"	0 to 250 F & C	\$125.49
WL51506	12"	50 to 300 F & C	\$125.49
WL51508	12"	50 to 500 F & C	\$125.49
WL51510	12"	150 to 750 F & C	\$125.49
WL51511	12"	200 to 1000 F & C	\$125.49
WL51515	12"	30 to 750 F & C	\$125.49
WL51602	15"	-40 to 160 F & C	\$134.26
WL51605	15"	0 to 250 F & C	\$134.26
WL51606	15"	50 to 300 F & C	\$134.26
WL51608	15"	50 to 500 F & C	\$134.26
WL51610	15"	150 to 750 F & C	\$134.26
WL51611	15"	200 to 1000 F & C	\$134.26
WL51702	18"	-40 to 160 F & C	\$144.04
WL51705	18"	0 to 250 F & C	\$144.04
WL51706	18"	50 to 300 F & C	\$144.04
WL51708	18"	50 to 500 F & C	\$144.04
WL51710	18"	150 to 750 F & C	\$144.04
WL51711	18"	200 to 1000 F & C	\$144.04
WL51715	18"	30 to 750 F & C	\$144.04
WL51802	24"	-40 to 160 F & C	\$163.59
WL51805	24"	0 to 250 F & C	\$163.59
WL51806	24"	50 to 300 F & C	\$163.59
WL51808	24"	50 to 500 F & C	\$163.59
WL51810	24"	150 to 750 F & C	\$163.59
WL51811	24"	200 to 1000 F & C	\$163.59

Temperature Gauges

Continuation of WGI Master-Temp 200/300/500 Bimetal Thermometers

Master-Temp 500 | 5" Dial | ½" NPT | Adjustable

Part Number	Stem	Range	Price
WL53102	2½"	-40 to 160 F & C	\$207.00
WL53105	2½"	0 to 250 F & C	\$207.00
WL53106	2½"	50 to 300 F & C	\$207.00
WL53108	2½"	50 to 500 F & C	\$207.00
WL53110	2½"	150 to 750 F & C	\$207.00
WL53111	2½"	200 to 1000 F & C	\$207.00
WL53202	4"	-40 to 160 F & C	\$207.00
WL53205	4"	0 to 250 F & C	\$207.00
WL53206	4"	50 to 300 F & C	\$207.00
WL53208	4"	50 to 500 F & C	\$207.00
WL53210	4"	150 to 750 F & C	\$207.00
WL53211	4"	200 to 1000 F & C	\$207.00
WL53302	6"	-40 to 160 F & C	\$207.00
WL53305	6"	0 to 250 F & C	\$207.00
WL53306	6"	50 to 300 F & C	\$207.00
WL53308	6"	50 to 500 F & C	\$207.00
WL53310	6"	150 to 750 F & C	\$207.00
WL53311	6"	200 to 1000 F & C	\$207.00
WL53402	9"	-40 to 160 F & C	\$229.94
WL53405	9"	0 to 250 F & C	\$229.94
WL53406	9"	50 to 300 F & C	\$229.94
WL53408	9"	50 to 500 F & C	\$229.94
WL53410	9"	150 to 750 F & C	\$229.94
WL53411	9"	200 to 1000 F & C	\$229.94
WL53502	12"	-40 to 160 F & C	\$236.47
WL53505	12"	0 to 250 F & C	\$236.47
WL53506	12"	50 to 300 F & C	\$236.47
WL53508	12"	50 to 500 F & C	\$236.47
WL53510	12"	150 to 750 F & C	\$236.47
WL53511	12"	200 to 1000 F & C	\$236.47
WL53602	15"	-40 to 160 F & C	\$246.56
WL53605	15"	0 to 250 F & C	\$246.56
WL53606	15"	50 to 300 F & C	\$246.56
WL53608	15"	50 to 500 F & C	\$246.56
WL53610	15"	150 to 750 F & C	\$246.56

Master-Temp 500 | 5" Dial | ½" NPT | Adjustable

Part Number	Stem	Range	Price
WL53611	15"	200 to 1000 F & C	\$246.56
WL53702	18"	-40 to 160 F & C	\$257.31
WL53705	18"	0 to 250 F & C	\$257.31
WL53706	18"	50 to 300 F & C	\$257.31
WL53708	18"	50 to 500 F & C	\$257.31
WL53710	18"	150 to 750 F & C	\$257.31
WL53711	18"	200 to 1000 F & C	\$257.31
WL53802	24"	-40 to 160 F & C	\$281.32
WL53805	24"	0 to 250 F & C	\$281.32
WL53806	24"	50 to 300 F & C	\$281.32
WL53808	24"	50 to 500 F & C	\$281.32
WL53810	24"	150 to 750 F & C	\$281.32
WL53811	24"	200 to 1000 F & C	\$281.32

WGI Thermowells

This device is used to protect a thermometer / thermocouple / RTD from any pressure or corrosion from the process and allows replacement of the instrument without shutting down the system.



Thermowell 1/2" Process | 1/2" Instrument | Stainless Steel

Part Number	Description	Price
1/2-025-316	0.260 Bore, U-Length = 1.38", OAL = 2.75" Straight	\$23.72
1/2-040-316	0.260 Bore, U-Length = 2.5", OAL = 4.25" Stepped	\$31.63
1/2-040-316ST	0.260 Bore, U-Length = 2.5", OAL = 4.25" Straight	Contact for pricing
1/2-040-316T	0.260 Bore, U-Length = 2.5", OAL = 4.25" Tapered	Contact for pricing
1/2-060-316	0.260 Bore, U-Length = 4.5", OAL = 6.25" Stepped	\$46.00

Thermowell 1/2" Process | 1/2" Instrument | Stainless Steel

Part Number	Description	Price
1/2-060-316ST	0.260 Bore, U-Length = 4.5", OAL = 6.25" Straight	Contact for pricing
1/2-075-316	0.260 Bore, U-Length = 6", OAL = 7.75" Stepped	Contact for pricing
1/2-075-316T	0.260 Bore, U-Length = 6", OAL = 7.75" Tapered	Contact for pricing
1/2-075-316ST	0.260 Bore, U-Length = 6", OAL = 7.75" Straight	Contact for pricing
1/2-090-316	0.260 Bore, U-Length = 7.5", OAL = 9.25" Stepped	\$69.00
1/2-090-316ST	0.260 Bore, U-Length = 7.5", OAL = 9.25" Straight	Contact for pricing
1/2-120-316	0.260 Bore, U-Length = 10.5", OAL = 12.25" Stepped	\$115.00

Temperature Gauges

Continuation of WGI Thermowells

Thermowell ¾" Process | ½" Instrument | Stainless Steel

Part Number	Description	Price
3/4-025-316	0.260 Bore, U-Length = 1.38", OAL = 2.75" Stepped	\$23.72
3/4-025-316ST	0.260 Bore, U-Length = 1.38", OAL = 2.75" Straight	Contact for pricing
3/4-025-316T	0.260 Bore, U-Length = 1.38", OAL = 2.75" Tapered	Contact for pricing
3/4-040-316	0.260 Bore, U-Length = 2.5", OAL = 4.25" Stepped	\$31.63
3/4-040-316ST	0.260 Bore, U-Length = 2.5", OAL = 4.25" Straight	Contact for pricing
3/4-040-316T	0.260 Bore, U-Length = 2.5", OAL = 4.25" Tapered	Contact for pricing
3/4-060-316	0.260 Bore, U-Length = 4.5", OAL = 6.25" Stepped	\$46.00
3/4-060-316ST	0.260 Bore, U-Length = 4.5", OAL = 6.25" Straight	\$48.88
3/4-060-316T	0.260 Bore, U-Length = 4.5", OAL = 6.25" Tapered	\$51.75
3/4-090-316	0.260 Bore, U-Length = 7.5", OAL = 9.25" Stepped	\$69.00
3/4-090-316ST	0.260 Bore, U-Length = 7.5", OAL = 9.25" Straight	\$71.88
3/4-090-316T	0.260 Bore, U-Length = 7.5", OAL = 9.25" Tapered	Contact for pricing

Thermowell ¾" Process | ½" Instrument | Stainless Steel

Part Number	Description	Price
3/4-120-316	0.260 Bore, U-Length = 10.5", OAL = 12.25" Stepped	\$92.00
3/4-120-316ST	0.260 Bore, U-Length = 10.5", OAL = 12.25" Straight	Contact for pricing
3/4-120-316T	0.260 Bore, U-Length = 10.5", OAL = 12.25" Tapered	Contact for pricing
3/4-150-316	0.260 Bore, U-Length = 13.5", OAL = 15.25" Stepped	\$158.13
3/4-180-316	0.260 Bore, U-Length = 16.5", OAL = 18.25" Stepped	\$318.38
3/4-180-316T	0.260 Bore, U-Length = 16.5", OAL = 18.25" Tapered	Contact for pricing
3/4-240-316	0.260 Bore, U-Length = 22.5", OAL = 24.25" stepped.	\$264.50

Continuation of WGI Thermowells

Thermowell 1" Process | ½" Instrument | Stainless Steel

Part Number	Description	Price
1-025-316	0.260 Bore, U-Length = 1.38", OAL = 2.75" Stepped	\$37.38
1-040-316	0.260 Bore, U-Length = 2.5", OAL = 4.25" Stepped	\$48.88
1-060-316	0.260 Bore, U-Length = 4.5", OAL = 6.25" Stepped	\$71.88
1-090-316	0.260 Bore, U-Length = 7.5", OAL = 9.25" Stepped	\$103.71
1-090-316ST	0.260 Bore, U-Length = 7.5", OAL = 9.25" Straight	\$106.38
1-090-316T	0.260 Bore, U-Length = 7.5", OAL = 9.25" Tapered	Contact for pricing
1-120-316	0.260 Bore, U-Length = 10.5", OAL = 12.25" Stepped	\$136.56
1-150-316	0.260 Bore, U-Length = 13.5", OAL = 15.25" Stepped	Contact for pricing

Thermowell ¾" Process | ½" Instrument | Brass

Part Number	Description	Price
¾-090-BR-720	0.702 Bore, U-Length = 7.5", OAL = 9.25" Straight C/W Nut & Washer	\$161.00
¾-090-BR-INSERT	Insert For Special 0.720 Bore Brass Thermowell Allows 1/4" Probe To Be Inserted	\$55.78

Temperature Gauges

WGI Industrial Thermometer

WGI 9" (229mm) adjustable angle thermometer is mainly used for HVAC applications. Our standard case is a durable cast aluminum case powder coated dark blue and contains a safe red alcohol fill for easy viewing.



Thermowells

Part Number	Description	Price
T1E3D2	3½"L x 3/4" male npt, Brass, Fits WAA33 series	\$19.41
T1E6D2	6"L x 3/4" male npt, Brass, Fits WAA36 series	\$25.16
T6E3D2	3/4" mnpt, 304SS, Fits WA33 series	\$168.19

9" Scale | 3½" Stem | Adjustable

Part Number	Description	Price
WAA3301	-40 to 110 F & C	\$93.44
WAA3303	0 to 120 F & C	\$93.44
WAA3304	30 to 180 F & C	\$93.44
WAA3305	30 to 240 F & C	\$93.44
WAA3308	50 to 550 F & C	\$93.44

9" Scale | 6" Stem | Adjustable

Part Number	Description	Price
WAA3601	-40 to 110 F & C	\$103.50
WAA3603	0 to 120 F & C	\$103.50
WAA3604	30 to 180 F & C	\$103.50
WAA3605	30 to 240 F & C	\$103.50
WAA3608	50 to 550 F & C	\$103.50



WGI Industrial Thermometer

WGI 7" (177mm) adjustable angle thermometer is mainly used in the HVAC industry but can also be used in many other industries. With an adjustable aluminum case and a standard 1/2" NPT brass thermowell, there are many applications for this thermometer. It also contains a red reading alcohol fill for easy viewing.

7" Scale | 2½" Stem | Adjustable

Part Number	Description	Price
WAA2302	-40 to 110 F & C	\$93.44
WAA2305	30 to 240 F & C	\$93.44
WA-WL-KIT	Conversion Kit for WL 4" stem series to fit into WAA33 wells	\$28.75

WGI Tridicators (Pressure/Temperature)

WGI tridicators indicate pressure, temperature and altitude in one compact instrument. WGI tridicators are intended for use on all types of hot water heating systems.



2½" Stem | 3½" Dial | ½" NPT

Part Number	Description	Price
Y22002	Bottom, 0-60 psi / kpa, 60-260 F & C	\$104.94
Y22004	Bottom, 0-100 psi / kpa, 60-260 F & C	\$104.94
Y22006	Lower back, 0-60 psi / kpa, 60-260 F & C	\$120.03
Y22008	Lower back, 0-100 psi / kpa, 60-260 F & C	\$120.03
Y22012	Bottom, 0-200 psi / kpa, 60-260 F & C	\$104.94
Y22014	Bottom, 0-300 psi / kpa, 60-260 F & C	\$104.94
Y22016	Lower back, 0-200 psi / kpa, 60-260 F & C	\$120.03
Y22018	Lower back, 0-300 psi / kpa, 60-260 F & C	\$120.03

2½" Stem | 3" Dial | ½" MNPT

Part Number	Description	Price
Y32003	Bottom, 0-75 psi / kpa, 70-320 F & C	\$64.40
Y32004	Bottom, 0-100 psi / kpa, 70-20 F & C	\$64.40
Y32006	Bottom, 0-200 psi / kpa, 70-320 F & C	\$64.40
Y34003	Back Mount, 0-75 psi / kpa, 70-320 F & C	\$55.78
Y34004	Back Mount, 0-100 psi/kpa, 70-320 F&C	\$55.78
Y34006	Back Mount, 0-200 psi/kpa, 70-320 F&C	\$55.78

6" Stem | 3½" Dial | ½" NPT

Part Number	Description	Price
Y26002	Bottom, 0-60 psi / kpa, 60-260 F & C	\$139.44
Y26006	Lower Back, 0-60 psi / kpa, 60-260 F & C	\$139.44

Temperature Gauges



WGI Tridicators (Pressure/Temperature)

WGI tridicators measure both pressure and temperature all in one instrument. They typically are used in HVAC or boiler applications.

3 1/2" Dial | 1/2" NPT

Part Number	Stem	Description	Price
TRI-100	2 1/2"	0-100 psi / kpa, 60-260 F & C	\$38.81
TRI-200	3 1/2"	0-100 psi / kpa, 60-260 F & C	\$38.81
TRI-300	4 1/2"	0-100 psi / kpa, 60-260 F & C	\$38.81
TRI-400	6 1/2"	0-100 psi / kpa, 60-260 F & C	\$38.81



WGI Digital Pocket Thermometer

5" Stem | LCD Readout 0.3"

Part Number	Description	Price
9841	-40° - 500° F/C	Contact for pricing



WGI General Purpose Pocket Thermometer

Analog | 5" Stem | Plastic Pocket Sheath

Part Number	Description	Price
PT1835-160FC	-40-160 F & C	\$24.44
PT1835-250FC	0-250 F & C	\$24.44
PT1835-500FC	50-500 F & C	\$24.44



WGI Glass Alcohol Pocket Thermometer

5" Scale | Glass

Part Number	Description	Price
GT-120	-40°C - 120°C	Contact for pricing



WGI Hot Water Heating Thermometer (Dial)

2½" Dial | 2½" Stem | C/W ½" Brass Thermowell

Part Number	Description	Price
HWT2.5-250	-40-160 F & C	\$42.89
HWT-SOLDER	T/well, solder type to fit the Hwt series thermometers	\$13.66



WGI Hot Water Heating Thermometer (Scale)

WGI hot water thermometers are typically used in hot water heating systems, boilers and hydronic heating systems, etc. Each thermometer comes standard with a removable brass thermowell for maintaining a sealed system.

8 Scale | ½" mnpt Brass | 40/280 F&C

Part Number	Description	Price
HWT8-S	Straight BTM	\$53.62
HWT8-A	Angle LBM	\$55.83

Temperature Gauges



WGI Magnetic Surface Thermometer

WGI bimetal magnetic surface thermometers incorporate a standard rear calibration adjustment and are ideal for use on engines, bearings, pipes, tanks, ovens, dies, molds or any flat metallic surface.

2" Dial | Two magnets on rear of case

Part Number	Description	Price
311FC	-100-160 F & C	\$56.06
312FC	0-250 F & C	\$56.06
313FC	50-500 F & C	\$56.06



WGI Clamp-on Thermometer

Bimetallic clamp on thermometers are used to provide surface temp on 1/2" to 4" pipes using a clamp-on design with steel spring. Ideal for HVAC, waste water and other industrial process applications.

2½" Dial | Aluminum

Part Number	Description	Price
SBT-2	30° — 250° F/C	Contact for pricing



Taylor Digital Min/Max Thermometer

This thermometer is designed to read the temperature from two different probes on 9'9" (3 Meter) cables. It records the minimum and maximum temperatures for the current 24 hour period and for six previous periods. The advanced microprocessor circuit allows the thermometer to collect temperature data while the display is turned off.

2½" Dial | Plastic

Part Number	Description	Price
1441E	20°F - 120°F	Contact for pricing



Taylor Infrared Thermometer

The ideal introduction to non-contact thermometers for technicians new to infrared. This unit features the popular single dot laser sighting system and the large temperature display provides current and maximum readings together while scanning, all in a conveniently sized hand-held tool with a protective boot for added durability.

Laser Sight | Plastic

Part Number	Description	Price
9523	-49° - 752° F	Contact for pricing



WGI 201 Series Carbon Steel Ball Valves

WGI 201 series carbon steel ball valves carry 2,000 psi rating for the larger sizes and have a seal welded body. NACE approvals.

2-Piece | RTFE | Locking Handle | Seal Weld Ends

Part Number	Description	Price
201-1/4	1/4" npt, 2000 WOG	\$31.54
201-3/8	3/8" npt, 2000 WOG	\$31.54
201-1/2	1/2" npt, 2000 WOG	\$33.72
201-3/4	3/4" npt, 2000 WOG	\$47.12
201-1	1" npt, 2000 WOG	\$68.45
201-1-1/4	1¼" npt, 2000 WOG	\$99.36
201-1-1/2	1½" npt, 2000 WOG	\$157.72
201-2	2" npt, 2000 WOG	\$236.33



WGI 301 Series Stainless Steel Ball Valves

WGI ball valves combine quality performance at an affordable price. Each valve carries approvals that will cover most valve applications. These valves are used in different industries for a variety of applications. NACE, CSA/CGA3.16 CRN approvals.

2-Piece | RTFE | Locking Handle | Threaded Mounting Pad

Part Number	Description	Price
301-1/4	1/4" npt, 2000 WOG	\$37.84
301-3/8	3/8" npt, 2000 WOG	\$37.84
301-1/2	1/2" npt, 2000 WOG	\$41.08
301-3/4	3/4" npt, 2000 WOG	\$59.89
301-1	1" npt, 2000 WOG	\$82.80
301-1-1/4	1¼" npt, 1500 WOG	\$130.90
301-1-1/2	1½" npt, 1500 WOG	\$205.45
301-2	2" npt, 1500 WOG	\$311.94



WGI 401 Series Stainless Steel Ball Valves Sealweld

WGI 401 series stainless steel ball valves carry 2,000 PSI rating for the larger sizes and have a seal welded body. This ensures that the body of the valve is sealed and will not leak after installation. NACE approvals.

2-Piece | RTFE | Locking Handle | Threaded Mounting Pad

Part Number	Description	Price
401-1-1/4	1¼" npt, 2000 WOG	\$133.29
401-1-1/2	1½" npt, 2000 WOG	\$209.99
401-2	2" npt, 2000 WOG	\$316.45



WGI 501 Stainless Steel Ball Valves

WGI ball valves combine quality performance at an affordable price. Each valve carries approvals that will cover most valve applications. These valves are used in many different industries for a variety of applications.

2-Piece | RTFE | Locking Handle | Threaded Mounting Pad

Part Number	Description	Price
501-1/4	1/4" npt, 1000 WOG	\$31.94
501-3/8	3/8" npt, 1000 WOG	\$31.94
501-1/2	1/2" npt, 1000 WOG	\$37.55
501-3/4	3/4" npt, 1000 WOG	\$51.66
501-1	1" npt, 1000 WOG	\$74.72
501-1-1/4	1¼" npt, 1000 WOG	\$115.09
501-1-1/2	1½" npt, 1000 WOG	\$171.52
501-2	2" npt, 1000 WOG	\$252.14



WGI 601 Series Brass Ball Valves

WGI 601 series offers a high quality brass ball valve that is used in HVAC, agriculture, irrigation, hydraulic and other industries. This series complies with ANSI B1.20.1.

200 WOG | Regular Port

Part Number	Description	Price
601-1/4FF-MINI	1/4" female npt	Contact for pricing
601-1/4MF-MINI	1/4" male x female npt	Contact for pricing

600 WOG | 150 WSP | Full Port

Part Number	Description	Price
601-1/4	1/4" npt	Contact for pricing
601-3/8	3/8" npt	Contact for pricing
601-1/2	1/2" npt	Contact for pricing
601-3/4	3/4" npt	Contact for pricing
601-1	1" npt	Contact for pricing
601-1-1/4	1 1/4" npt	Contact for pricing
601-1-1/2	1 1/2" npt	Contact for pricing
601-2	2" npt	Contact for pricing
601-2-1/2	2 1/2" npt	Contact for pricing
601-3	3" npt	Contact for pricing
601-4	4" npt	Contact for pricing



WGI 701/702 Series Brass Ball Valves

Full port ball valves are manually operated ball valves for gas piping carrying natural gas, propane, butane, air and inert gases.

600 WOG | CSA/UL/FM | Full Port

Part Number	Description	Price
701-1/4	1/4" npt	Contact for pricing
701-3/8	3/8" npt	Contact for pricing
701-1/2	1/2" npt	Contact for pricing
701-3/4	3/4" npt	Contact for pricing
701-1	1" npt	Contact for pricing
701-1-1/4	1 1/4" npt	Contact for pricing
701-1-1/2	1 1/2" npt	Contact for pricing
701-2	2" npt	Contact for pricing

600 WOG | Heavy Pattern | Full Port

Part Number	Description	Price
701-2-1/2	2 1/2" npt	Contact for pricing
701-3	3" npt	Contact for pricing
701-4	4" npt	Contact for pricing

600 WOG | CSA/UL/FM | Full Port

Part Number	Description	Price
702-1/2	1/2" cxc	Contact for pricing
702-3/4	3/4" cxc	Contact for pricing
702-1	1" cxc	Contact for pricing
702-1-1/4	1 1/4" cxc	Contact for pricing
702-1-1/2	1 1/2" cxc	Contact for pricing
702-2	2" cxc	Contact for pricing



WGI BKH/BK3 Series High Pressure Ball Valves

WGI BKH high pressure series ball valves are made of nickel plated carbon steel and are primarily used in the hydraulic industry where pressures operate around 5,000 PSI. WGI BKH series ball valves are field repairable, have blowout proof stems and delrin ball seats.

BKH | Carbon Steel

Part Number	Description	Price
BKH-1/4	1/4" fnpt, 7,350 psi	Contact for pricing
BKH-3/8	3/8" fnpt, 7,350 psi	Contact for pricing
BKH-1/2	1/2" fnpt, 7,350 psi	Contact for pricing
BKH-3/4	3/4" fnpt, 5,880 psi	Contact for pricing
BKH-1	1" fnpt, 5,145 psi	Contact for pricing
BKH-1-1/4	1 1/4" fnpt, 5,145 psi	Contact for pricing
BKH-1-1/2	1 1/2" fnpt, 5,145 psi	Contact for pricing
BKH-2	2" fnpt, 5,000 psi	Contact for pricing

BK3 | Carbon Steel | 3-Way

Part Number	Description	Price
BK3-1/4	1/4" fnpt, 5,880 psi	Contact for pricing
BK3-3/8	3/8" fnpt, 5,880 psi	Contact for pricing
BK3-1/2	1/2" fnpt, 5,145 psi	Contact for pricing
BK3-3/4	3/4" fnpt, 5,145 psi	Contact for pricing
BK3-1	1" fnpt, 5,145 psi	Contact for pricing
BK3-1-1/4	1 1/4" fnpt, 5,145 psi	Contact for pricing



WGI Soft Seat In-line Check Valves

Soft seat high pressure in-line check valves are an ideal choice for preventing back-flow on any process system.

Carbon Steel | 7 PSI Cracking Pressure

Part Number	Description	Price
VU-14-F-7	1/4" fnpt, 10,000 psi	Contact for pricing
VU-38-F-5	3/8" fnpt, 5,000 psi	Contact for pricing
VU-38-F-7	3/8" fnpt, 10,000 psi	Contact for pricing
VU-12-F-7	1/2" fnpt, 7,250 psi	Contact for pricing
VU-34-F-7	3/4" fnpt, 7,250 psi	Contact for pricing
VU-1-F-7	1" fnpt, 7,250 psi	Contact for pricing
VU-114-F-7	1 1/4" fnpt, 4,140 psi	Contact for pricing
VU-112-F-7	1 1/2" fnpt, 4,140 psi	Contact for pricing
VU-2-F-7	2" fnpt, 4,140 psi	Contact for pricing

Stainless Steel | 7 PSI Cracking Pressure

Part Number	Description	Price
VU-14-F-7-SS	1/4" fnpt, 5,145 psi	Contact for pricing
VU-38-F-7-SS	3/8" fnpt, 5,145 psi	Contact for pricing
VU-12-F-7-SS	1/2" fnpt, 5,145 psi	Contact for pricing
VU-34-F-7-SS	3/4" fnpt, 4,400 psi	Contact for pricing
VU-1-F-7-SS	1" fnpt, 3,675 psi	Contact for pricing
VU-114-F-7-SS	1 1/4" fnpt, 3,675 psi	Contact for pricing
VU-112-F-7-SS	1 1/2" fnpt, 3,675 psi	Contact for pricing
VU-2-F-7-SS	2" fnpt, 3,675 psi	Contact for pricing



WGI Hard Seat Needle Valves

This series of valves has been engineered for high flow and high pressure applications. Each valve has a large orifice for maximum flow at 10,000 PSI. Stem packing is adjustable and each bonnet has a bonnet lock pin.

Straight | High Flow | 10,000 PSI | Carbon Steel

Part Number	Description	Price
WN1511	1/8" npt, female x female	\$56.06
WN1512	1/4" npt, female x female	\$56.06
WN1513	3/8" npt, female x female	\$64.69
WN1514	1/2" npt, female x female	\$64.69
WN1516	3/4" npt, female x female	\$176.67
WN1518	1" npt, female x female	\$217.21
WN1532	1/4" npt, male x female	\$56.06
WN1534	1/2" npt, male x female	\$64.69
WN1536	3/4" npt, male x female	\$176.67
WN1537	3/4" x 1/2" npt, male x female	\$92.32
WN1538	1" npt, male x female	\$217.21

90° Angle | High Flow | 10,000 PSI | Carbon Steel

Part Number	Description	Price
WN1551	1/8" npt, female x female	\$55.11
WN1552	1/4" npt, female x female	\$55.11
WN1553	3/8" npt, female x female	\$62.33
WN1554	1/2" npt, female x female	\$62.33
WN1556	3/4" npt, female x female	\$201.85
WN1558	1" npt, female x female	\$260.16
WN1572	1/4" npt, male x female	\$77.14
WN1574	1/2" npt, male x female	\$87.37



WGI Hard Seat Needle Valves

This series of valves has been engineered for high flow and high pressure applications. Each valve has a large orifice for maximum flow at 10,000 PSI. Stem packing is adjustable and each bonnet has a bonnet lock pin. This series is made of 316 stainless steel for any corrosive applications.

Straight | High Flow | 10,000 PSI | Stainless Steel

Part Number	Description	Price
WN1311	1/8" npt, female x female	\$104.94
WN1312	1/4" npt, female x female	\$104.94
WN1313	3/8" npt, female x female	\$119.31
WN1314	1/2" npt, female x female	\$120.72
WN1316	3/4" npt, female x female	\$244.38
WN1318	1" npt, female x female	\$445.63
WN1332	1/4" npt, male x female	\$118.02
WN1334	1/2" npt, male x female	\$149.88
WN1336	3/4" npt, male x female	\$244.38
WN1337	3/4" x 1/2" npt, male x female	\$198.38
WN1338	1" npt, male x female	\$445.63

90° Angle | High Flow | 10,000 PSI | Stainless Steel

Part Number	Description	Price
WN1351	1/8" npt, female x female	\$140.82
WN1352	1/4" npt, female x female	\$140.82
WN1353	3/8" npt, female x female	\$158.13
WN1354	1/2" npt, female x female	\$158.13
WN1356	3/4" npt, female x female	\$282.33
WN1358	1" npt, female x female	\$827.43
WN1372	1/4" npt, male x female	\$158.13
WN1374	1/2" npt, male x female	\$172.50

Valves



WGI Soft Seat Needle Valves

WGI soft seat needle valve series offers a bubble tight shut-off for critical applications. They also offer a great solution for applications requiring constant adjustments.

Straight | High Flow | 6,000 PSI | Stainless Steel

Part Number	Description	Price
WN5312	1/4" npt, female x female	\$117.99
WN5314	1/2" npt, female x female	\$138.00
WN5316	3/4" npt, female x female	\$235.75
WN5318	1" npt, female x female	\$359.37
WN5332	1/4" npt, male x female	\$117.99
WN5334	1/2" npt, male x female	\$155.25
WN5335	1/2" x 1/4" npt, male x female	\$155.25
WN5336	3/4" npt, male x female	\$235.75

Straight | High Flow | 6,000 PSI | Carbon Steel

Part Number	Description	Price
WN5512	1/4" npt, female x female	\$71.88
WN5514	1/2" npt, female x female	\$80.50
WN5516	3/4" npt, female x female	\$172.50
WN5518	1" npt, female x female	\$235.75
WN5532	1/4" npt, male x female	\$71.88
WN5534	1/2" npt, male x female	\$80.50
WN5535	1/2" x 1/4" npt, male x female	\$80.50

90° Angle | High Flow | 6,000 PSI | Carbon Steel

Part Number	Description	Price
WN5572	1/4" npt, male x female	\$77.63
WN5574	1/2" npt, male x female	\$89.13



WGI Multi Port Valves

WGI multi-port valve offers extra outlet ports to accommodate additional devices. They have a large orifice for extra flow and still workable to 10,000 PSI.

Multiport | High Flow | 10,000 PSI | Stainless Steel

Part Number	Description	Price
WN8534	1/2" npt, male x female	\$285.40
WN8534-1L	1/2" npt, male x female, 1" lag	\$285.40
WN8534-3L	1/2" x 1/2" npt, male x female, 3" lag	\$373.75
WN8536	3/4" x 1/2" npt, male x female	\$299.32
WN8536-1L	3/4" x 1/2" npt, male x female, 1" lag	\$299.32
WN8536-3L	3/4" x 1/2" npt, male x female, 3" lag	\$373.75
WN8538-1L	1" x 1/2" npt, male x female, 1" lag	\$373.75

Multiport | High Flow | 10,000 PSI | Carbon Steel

Part Number	Description	Price
WN7534	1/2" npt, male x female	\$151.37
WN7536	3/4" x 1/2" npt, male x female	\$155.97



WGI Block & Bleed Valves

WGI block & bleed needle valves offer a single valve combining isolation and venting of process mediums. It features a large orifice for high flow applications and eliminates the need for extra tubing and fittings.

High Flow | 10,000 PSI | Carbon Steel

Part Number	Description	Price
WN9532	1/4" npt, male x female	\$197.60
WN9534	1/2" npt, male x female	\$206.80
WN9536	3/4" x 1/2" npt, male x female	\$214.76

High Flow | 10,000 PSI | Stainless Steel

Part Number	Description	Price
WN9732	1/4" npt, male x female	\$284.63
WN9734	1/2" npt, male x female	\$286.06
WN9736	3/4" x 1/2" npt, male x female	\$301.88



WGI Hard Seat Brass Miniature Needle Valves

WGI miniseries offers a compact size with hard seat option. These valves are ideal for any application where size and price are important.

Hard Seat | Brass

Part Number	Description	Price
WN0112	1/4"npt, female x female, straight, 400psi	\$21.14
WN0132	1/4"npt, male x female, straight, 400 psi	\$21.14

WGI Soft Seat Miniature Needle Valves

WGI miniseries offers a compact size with both hard and soft seat options. These valves are ideal for any application where size and price are important.



Soft Seat | Stainless Steel

Part Number	Description	Price
WN0412	1/4" npt, F x F, straight, 6,000 psi	\$83.38
WN0432	1/4" npt, M x F, straight, 6,000 psi	\$83.38
WN0452	1/4" npt, F x F, 90° angle, 6,000 psi	\$83.38
WN0472	1/4" npt, M x F, 90° angle, 6,000 psi	\$83.38
WN0732	1/4"npt, M x F, straight, 3,000 psi, large 3.75mm	\$83.38

Soft Seat | Carbon Steel

Part Number	Description	Price
WN0612	1/4" npt, F x F, straight, 6,000psi	\$37.38
WN0632	1/4" npt, M x F, straight, 6,000psi	\$37.38
WN0652	1/4" npt, F x F, 90° angle, 6,000 psi	\$37.38
WN0672	1/4" npt, M x F, 90° angle, 6,000 psi	\$37.38
WN0932	1/4"npt, M x F, straight, 3,000 psi, large 3.75mm	\$37.38



WGI Hard Seat Packager Needle Valves

WGI stainless steel packager series offers all the same features as the carbon steel series but gives you the extra protection for any outdoor or extreme applications.

Straight | 6,000 PSI | Stainless Steel

Part Number	Description	Price
WN1412P	1/4" npt, female x female	\$60.38
WN1413P	3/8" npt, female x female	\$90.56
WN1414P	1/2" npt, female x female	\$90.56
WN1416P	3/4" npt, female x female	\$170.66
WN1418P	1" npt, female x female	\$253.58
WN1431P	1/2" x 3/8" npt, male x female	\$67.99
WN1432P	1/4" npt, male x female	\$60.38
WN1433P	3/8" npt, male x female	\$90.56
WN1434P	1/2" npt, male x female	\$90.56
WN1435P	1/2" npt, male x 1/4" female	\$90.56
WN1436P	3/4" npt, male x female	\$170.66
WN1437P	3/4" x 1/2" npt, male x female	\$125.15
WN1438P	1" npt, male x female	\$253.58
WN1439P	1" x 1/2" npt male x female	\$253.58



WGI Hard Seat Packager Needle Valves

WGI packager series needle valve offers a compact valve at a very competitive price. The carbon steel valve comes with standard NACE MR0175 approval and carry a traceable heat number stamped on each valve.

Straight | 6,000 PSI | Carbon Steel

Part Number	Description	Price
WN1612PN	1/4" npt, female x female	\$47.70
WN1613PN	3/8" npt, female x female	\$51.75
WN1614PN	1/2" npt, female x female	\$53.68
WN1616PN	3/4" npt, female x female	\$93.29
WN1618PN	1" npt, female x female	\$132.83
WN1631PN	1/2" x 3/8" npt, male x female	\$50.31
WN1632PN	1/4" npt, male x female	\$47.70
WN1633PN	3/8" npt, male x female	\$51.75
WN1634PN	1/2" npt, male x female	\$53.68
WN1635PN	1/2" x 1/4" npt, male x female	\$56.06
WN1636PN	3/4" npt, male x female	\$93.29
WN1637PN	3/4" x 1/2" npt, male x female	\$69.00
WN1638PN	1" npt, male x female	\$132.83
WN1639PN	1" x 1/2" npt, male x female	\$132.83



WGI 2-Valve Hard Seat Threaded Manifold

For use with pressure transmitters, switches, gauges, etc. A block valve providing instrument isolation and a drain/vent allowing for venting, draining or calibration.

Hard Seat | 6,000 PSI | ½" FNPT

Part Number	Description	Price
WM21514	½" fnpt, carbon steel	\$129.38
WM21314	½" fnpt, stainless steel	\$215.63



WGI 3-Valve Hard Seat Threaded Manifold

For use with differential pressure transmitters and multi-variable transmitters. Two block valves provide instrument isolation and one equalizing valve is positioned between the high and low transmitter process connections.

Hard Seat | 6,000 PSI | ½" FNPT

Part Number	Description	Price
WM31314	Stainless Steel	\$301.88
WM31514	Carbon Steel	\$244.38



WGI 5-Valve Soft Seat Threaded Manifold

For use with differential pressure transmitters and multi-variable transmitters. Two block valves provide instrument isolation and one equalizing valve is positioned between the high and low transmitter process connections.

1/2" FNPT | 6,000 PSI | Stainless/Carbon Steel

Part Number	Description	Price
WM55314	Stainless Steel	\$431.25
WM55314FN	Stainless Steel, Flanged	\$483.00
WM55514	Carbon Steel	\$281.75
WM55514FN	Carbon Steel, Flanged	\$307.62

Terms and Conditions

VSTC-18-3 | Effective July 1, 2018

- 1) CANCELLATIONS & RESTOCKING POLICY:** Purchase orders once placed by Buyer and accepted by Seller can be cancelled only with Seller's written consent and upon terms which will save Seller from loss. No orders may be cancelled subsequent to delivery and/or shipment, whichever occurs first. As estimated actual damages, Buyer agrees to pay Seller the greater of Seller's actual costs incurred prior to cancellation plus a reasonable profit, or the following minimum cancellation charges: a) 20% of Order value if cancelled thirty (30) or more days prior to the original delivery/shipment date; b) 50% of the Order value if cancelled thereafter; or, c) 100% of the Order value of any non-standard items, which are items not built for stock or built to Buyer's specifications.
- 2) RETURNED PRODUCT:** All sales are final; all custom products (non-stocking) are not subject to return, credit or refund. The return of obsolete and used Products shall not be permitted. The Purchaser shall not return Products without first obtaining Seller's written permission and shall be subject to a restocking charge. Products must be returned within 10 days after the date that written permission has been given. All transportation charges for any returned Products shall be paid by the Purchaser. Request to return Products must be accompanied by relevant customer order and Seller's invoice number(s). Final acceptance of returned Products is subject to examination and/or testing. Products will not be accepted for return or credit later than six (6) months after invoicing.
- 3) PRICES:** Possession of price lists will not be accepted by the Seller as an obligation, or offer, to sell any goods listed therein. All prices contained in published price lists are subject to change without notice and supersede those of all previous lists. Prices quoted are based on current exchange rates; Seller reserves the right to adjust pricing to reflect the exchange rate in effect at the product receipt date to Seller's facility.
- 4) LIQUIDATED DAMAGES:** Liquidated damages will not be accepted in the event of order placement.
- 5) SALES TAXES, ETC.:** The Purchaser shall pay and be responsible for all provincial, local or federal sales, use or other taxes (including general sales or value added taxes) and customs duties now or hereinafter enacted which may be applicable to the sale of the Products or the importation of the Products to the destination specified by the Purchaser and which duties and taxes shall be the responsibility of the Purchaser.
- 6) CREDIT APPROVAL:** Orders are accepted subject to satisfactory credit approval. Pending credit approval, delivery may be delayed without liability to Seller.
- 7) TERMS OF PAYMENT:** The terms of payment for Products purchased pursuant to this Agreement are (I) upon acceptance of the purchase order a deposit in such amount as may be set out in the Seller's written acceptance notice and (II) the balance within 30 days from the date of invoice. Any invoice amount which is not paid when due shall bear interest at the rate of one and one-half (1 ½%) percent per month until paid in full.

The Purchaser agrees that it will not have any rights of set off against or deduction from the purchase price for the Products payable by the Purchaser pursuant to this Agreement. The Purchaser grants to Seller a purchase money security interest in all Products delivered pursuant to this Agreement and all proceeds thereof (whether cash or non-cash and including, without limitation, accounts, instruments and chattel paper). Any failure by the Purchaser to pay the purchase price in full as provided in this Agreement shall constitute an event of default for purposes of said security interest. Upon the occurrence of any such default, Seller shall have all rights of a secured party after default under applicable law. Any repossession and removal of any Products shall be without prejudice to any of Seller's other remedies at law or in equity. The Purchaser agrees, without further consideration, at any time, to do or cause to be done, to execute and deliver, all such further acts and instruments (including, without limitation, financing statements approved for filing) as Seller may reasonably request in order to perfect Seller's security interest.
- 8) DELIVERY DATE:** Seller will utilize reasonable best efforts to meet the delivery schedules stipulated in this Agreement. In the event the provisions of Section 14 hereof shall apply, the delivery date shall be extended by a number of days that is equal to the duration of the event or condition that is responsible for such delay.
- 9) TITLE AND SHIPMENT:** All quotations and sales are FCA Loaded Truck ValvSource Warehouse (Inco Terms 2010) unless otherwise specified in writing and agreed by both parties. Seller's responsibility ceases upon delivery to carrier and title shall transfer and risk of loss shall be borne by Buyer at that point. Any expedited or other premium transportation charges requested by Buyer will be for the account of Buyer. Prices include domestic packing, blocked and strapped to open pallets and wrapped in Poly. No claims for price adjustments will be honored unless presented within six (6) months from date of invoice. All quotations are subject to change without notice and prior to sale of goods.
- 10) INSPECTION BY PURCHASER:** All Products must be inspected by the Purchaser upon receipt and the Purchaser and Seller, collectively, agree to file appropriate claims with the carrier when there is evidence of shipping damage, either concealed or external. Claims for shortage or error in shipment or for damage other than shipping damage must be made within 5 days after receipt of shipment, failing which the Purchaser shall be deemed to have accepted the shipment.
- 11) LIMITED WARRANTY:** Purchaser acknowledges that the Products are provided to the Purchaser subject only to the limited warranties provided by the manufacturer of the Products and are subject to all of the conditions, limitations and exclusions set out therein, all of which are hereby accepted by the Purchaser. The warranty exclusions include, without limitation, (I) any defects caused by faulty installation performed by Purchaser or third parties, (II) any damage caused by the contractors or tradesman of the Purchaser, (III) any damage caused by improper use or misuse, including exposure to excessive temperatures, moisture or cleaning agents and solvents and (IV) any damage caused during transportation or improper storage. Claims for warranty repairs and replacements must be made within the applicable time period described in the manufacturer's limited warranty. In no event shall Seller be liable for other than the repair or replacement of any defective Products. In no event shall Seller be liable for any damages, direct or indirect, special or consequential, including, without limitation, damages for lost profits, business interruption, or economic loss arising out of defects in the Products.
- 12) EXCLUSION OF WARRANTIES:** Except as expressly set forth herein seller disclaims all warranties with regard to the products including, without limitation, all implied warranties of merchantability and fitness for a particular purpose.
- 13) CATALOGUE AND OTHER PRINTED MATTER:** Seller's illustrations are representations of a certain size of each line of Product, but do not necessarily represent all sizes and materials in detail. Similarly, dimensions, weights and material information have been prepared with care, but their correctness is not guaranteed. Seller reserves the right to vary the designs and dimensions without notice.
- 14) FORCE MAJEURE:** Any delay or failure of performance by Seller shall be excused if and to the extent caused, directly or indirectly, events beyond Seller's control including, without limitation, fire, flood earthquake, lightning, hurricane, explosion, accident or breakdown, acts of God, embargo, strike, labour dispute, labour trouble, lockout, shortage or control of power supply, shortage of supplies or raw materials, or any causes whether of the same kind as the causes enumerated before or not. Subject to any express provisions of this Agreement, any such causes of delay shall extend the time of performance by the length of delay occasioned thereby.
- 15) NO WAIVER:** No waiver by Seller of any right hereunder or of any right granted in connection with a failure to perform or breach by the Purchaser shall be deemed as a waiver of any other right hereunder or of any right granted in connection with any other failure or breach by the Purchaser, whether of a similar nature or otherwise.
- 16) NOTICE:** Any notice made under or in relation to this Agreement shall be sent to the addresses first above written or such other address as the intended recipient shall have previously designated by written notice, by postage prepaid registered mail or by telegram including telex, followed by a confirmation letter by postage prepaid and return receipt requested registered mail. The notice shall be deemed to be made on the fifth day following the date of mailing.
- 17) ENTIRE AGREEMENT:** This Agreement contains the entire agreement and understanding of the parties hereto with respect to the subject matter of this Agreement, and supersedes all prior discussions, agreements, understandings of any and every nature, whether written or oral, between the parties with respect to the subject matter of this Agreement, and no condition, definition, warranty or representation other than those expressly provided for in this Agreement with respect to the subject matter of this Agreement shall be binding upon either party hereto.
- 18) AMENDMENTS IN WRITING:** Any amendment, modification, change or alteration of this Agreement shall be made in writing which expressly refers to this Agreement and which is signed by a duly authorized officer or representative of each of the parties hereto.
- 19) SEVERABILITY:** All provisions of this Agreement are severable and this Agreement shall be interpreted and enforced as if all completely invalid or unenforceable provisions were not contained herein. All partially valid and enforceable provisions shall be enforced to the extent they are valid and enforceable.
- 20) NO AGENCY OR PARTNERSHIP:** Nothing herein contained shall be deemed or construed to constitute either party the agent or partner of the other. Neither party shall have any right, title or authority to enter into any contract, agreement or commitment on behalf of the other or to bind the other in any manner whatsoever.
- 21) GOVERNING LAW:** This agreement shall be governed by and construed in accordance with the laws of the jurisdiction from which the products are shipped by the seller to the purchaser and the parties hereby attorn to the courts of such jurisdiction.
- 22) ENUREMENT:** This Agreement shall enure to the benefit of and be binding upon the parties hereto and on their successors and permitted assigns.
- 23) SELLER DEFINED:** For the purposes hereof, Seller means the Corporation listed as such on the front page of the Invoice or acceptance notice of which these terms and conditions of sale form a part.



- 1,2,3 Piece Ball Valves
- Flanged Floating Ball Valves
- Knife Gate Valves
- Butterfly Valves
- Actuation
- Position Switches



- Y, Basket & Temporary Strainers
- Check Valves
- Triple Duty Valves
- Foot Valves
- Expansion Joints



- Pressure Gauges & Accessories
- Temperature Indicators
- Needle Valves
- Thermowells & Thermocouples



- Brass Ball Valves
- Bronze Gate, Globe, & Check Valves
- Cast Iron Gate, Globe, & Check Valves
- Cast & Forged Steel Gate, Globe and Check Valves



- Cast Gate, Globe & Check Valves
- Forged Gate, Globe & Checks
- Threaded Ball Valves
- Flanged Ball Valves



Edmonton, Alberta

7136 – 56 Avenue NW
Edmonton, AB T6B 1E4
Telephone: (780) 461-6499
Fax: (780) 461-6485
west@valvsource.com

Calgary, Alberta

3815 – 32nd Street NE
Calgary, AB T1Y 7C1
Telephone: (403) 236-4888
Fax: (403) 236-7629
calgary@valvsource.com

Oakville, Ontario

2305 Wyecroft Road
Oakville, ON L6L 6R2
Telephone: (905) 608-2200
Fax: (905) 608-2211
east@valvsource.com

Saving money on valves has never been easier, contact us today to learn more!